



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Ambient Air Quality Monitoring Report

| | | | |
|---|--|---|---|
| Report No. : ME-NS0188-150228-SA-INDIABULLS-NASHIK | | Date: 28.02.2015 | |
| Name and Address of Customer | RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik. | Order Reference | |
| | | Your Work Order No. 3520000054 Dt. 18.11.2011 Amendment:1 Dt.16.01.2014 | |
| Sample Description/Type | Ambient Air | Sample Collected by | Laboratory |
| Sampling Location | Near IRL Office | Sample Quantity/Packing | PM ₁₀ , B(a)P, Ni, As, Pb: Filter Paper 1 X 3 No. PM _{2.5} : Filter Paper 1 X 1 No. SO ₂ : 30 mL X 6 No. Plastic Bottle NO ₂ : 30 mL X 6 No. Plastic Bottle NH ₃ : 30 mL X 6 No. Plastic Bottle CO: Plastic Bulb 1 X 3 No. O ₃ : 10 mL X 24 No. Plastic Bottle Benzene: Charcoal Tubes: 1 X 12 No. Mercury: 30 mL X 6 No. Amber Colour Bottle |
| Date of Sampling | 20.02.2015 to 21.02.2015 | Date of Receipt of Sample | 21.02.2015 |
| Sampling Procedure | As per method reference | | |
| Date of Start of Analysis | 21.02.2015 | Date of Completion of Analysis | 27.02.2015 |


| Meteorological Data | | | | |
|-------------------------------------|---------------------|--------------------------------------|--|---|
| Average Wind velocity 1.85 km/h | Relative Humidity % | | Temperature °C | |
| | Max. | Min. | Max. | Min. |
| | | 42 | 12 | 31 |
| Location : Near IRL Office | | Duration of Survey : 24 hours | | |
| Parameter | Unit | Result | # National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area) | Method Reference |
| Sulphur Dioxide (SO ₂) | µg/m ³ | 7.6 | 80 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1 |
| Nitrogen Dioxide (NO ₂) | µg/m ³ | 6.3 | 80 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7 |

Report No. 0188 cont...

| Parameter | Unit | Result | # National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area) | Method Reference |
|---|-------------------|--------|--|--|
| Particulate Matter (size less than 10 µm) or PM ₁₀ | µg/m ³ | 95 | 100 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11 |
| Particulate Matter (size less than 2.5µm) or PM _{2.5} | µg/m ³ | <10 | 60 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.15 |
| Ozone (O ₃) | µg/m ³ | <19.6 | 180 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.31 |
| Lead (Pb) | µg/m ³ | 0.04 | 01 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48 |
| Carbon Monoxide (CO) | mg/m ³ | 0.67 | 04 | IS 5182 (Part 10):1999 RA 2003 |
| Ammonia (NH ₃) | µg/m ³ | <20 | 400 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.35 |
| Benzene (C ₆ H ₆) | µg/m ³ | 2.4 | 05 | IS 5182 (Part 11): 2006 |
| Benzo(a)Pyrene (BaP) (Particulate phase only) | ng/m ³ | <0.5 | 01 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.40 |
| Arsenic (As) | ng/m ³ | 1.1 | 06 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48 |
| Nickel (Ni) | ng/m ³ | <3 | 20 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48 |
| Mercury | µg/m ³ | <0.06 | - | EPA/625/R-96/010 a Compendium Method 10-3.4 |
| <p>Remarks: TWA - Time Weighted Average. #- NAAQS(National Ambient Air Quality Standards(Industrial, Residential, Rural and other area) specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM₁₀, PM_{2.5}, Lead and Ammonia; 8 h. TWA in case of Carbon Monoxide; 1 h. TWA in case of Ozone, Annual TWA in case of Benzene, Benzo (a)Pyrene, Arsenic and Nickel</p> | | | | |

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.



Harish Mendhi
TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Ambient Air Quality Monitoring Report

| | | | |
|---|---|---------------------------------------|---|
| Report No. : ME-NS0189-150228-SA-INDIABULLS-NASHIK | | Date: 28.02.2015 | |
| Name and Address of Customer | RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik. | | Order Reference |
| | | | Your Work Order No. 3520000054 Dt. 18.11.2011 Amendment:1 Dt.16.01.2014 |
| Sample Description/Type | Ambient Air | Sample Collected by | Laboratory |
| Sampling Location | Near Boiler House | Sample Quantity/Packing | PM ₁₀ , B(a)P, Ni, As, Pb: Filter Paper 1 X 3 No. PM _{2.5} : Filter Paper 1 X 1 No. SO ₂ : 30 mL X 6 No. Plastic Bottle NO ₂ : 30 mL X 6 No. Plastic Bottle NH ₃ : 30 mL X 6 No. Plastic Bottle CO: Plastic Bulb 1 X 3 No. O ₃ : 10 mL X 24 No. Plastic Bottle Benzene: Charcoal Tubes: 1 X 12 No. Mercury: 30 mL X 6 No. Amber Colour Bottle |
| Date of Sampling | 20.02.2015 to 21.02.2015 | Date of Receipt of Sample | 21.02.2015 |
| Sampling Procedure | As per method reference | | |
| Date of Start of Analysis | 21.02.2015 | Date of Completion of Analysis | 27.02.2015 |

| Meteorological Data | | | | |
|-------------------------------------|---------------------|--------------------------------------|--|---|
| Average Wind velocity 1.85 km/h | Relative Humidity % | | Temperature °C | |
| | Max. | Min. | Max. | Min. |
| | 42 | 12 | 31 | 20 |
| Location : Near Boiler House | | Duration of Survey : 24 hours | | |
| Parameter | Unit | Result | # National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area) | Method Reference |
| Sulphur Dioxide (SO ₂) | µg/m ³ | 12.5 | 80 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1 |
| Nitrogen Dioxide (NO ₂) | µg/m ³ | 7.7 | 80 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7 |

Report No. 0189 cont...

| Parameter | Unit | Result | # National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area) | Method Reference |
|---|-------------------|--------|--|--|
| Particulate Matter (size less than 10 µm) or PM ₁₀ | µg/m ³ | 91 | 100 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11 |
| Particulate Matter (size less than 2.5µm) or PM _{2.5} | µg/m ³ | 19 | 60 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.15 |
| Ozone (O ₃) | µg/m ³ | <19.6 | 180 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.31 |
| Lead (Pb) | µg/m ³ | 0.02 | 01 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48 |
| Carbon Monoxide (CO) | mg/m ³ | 0.70 | 04 | IS 5182 (Part 10):1999 RA 2003 |
| Ammonia (NH ₃) | µg/m ³ | <20 | 400 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.35 |
| Benzene (C ₆ H ₆) | µg/m ³ | 4.0 | 05 | IS 5182 (Part 11): 2006 |
| Benzo(a)Pyrene (BaP) (Particulate phase only) | ng/m ³ | <0.5 | 01 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.40 |
| Arsenic (As) | ng/m ³ | 0.5 | 06 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48 |
| Nickel (Ni) | ng/m ³ | <3 | 20 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48 |
| Mercury | µg/m ³ | <0.06 | - | EPA/625/R-96/010 a Compendium Method 10-3.4 |
| <p>Remarks: TWA - Time Weighted Average. #- NAAQS(National Ambient Air Quality Standards(Industrial, Residential, Rural and other area) specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM₁₀, PM_{2.5}, Lead and Ammonia; 8 h. TWA in case of Carbon Monoxide; 1 h. TWA in case of Ozone, Annual TWA in case of Benzene, Benzo (a)Pyrene, Arsenic and Nickel</p> | | | | |

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


 Harish Mendhi
TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Ambient Air Quality Monitoring Report

| | | | |
|---|---|---------------------------------------|---|
| Report No. : ME-NS0190-150228-SA-INDIABULLS-NASHIK | | Date: 28.02.2015 | |
| Name and Address of Customer | RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik. | | Order Reference |
| | | | Your Work Order No. 3520000054 Dt. 18.11.2011 Amendment:1 Dt.16.01.2014 |
| Sample Description/Type | Ambient Air | Sample Collected by | Laboratory |
| Sampling Location | Near Weigh Bridge | Sample Quantity/Packing | PM ₁₀ , B(a)P, Ni, As, Pb: Filter Paper 1 X 3 No. PM _{2.5} : Filter Paper 1 X 1 No. SO ₂ : 30 mL X 6 No. Plastic Bottle NO ₂ : 30 mL X 6 No. Plastic Bottle NH ₃ : 30 mL X 6 No. Plastic Bottle CO: Plastic Bulb 1 X 3 No. O ₃ : 10 mL X 24 No. Plastic Bottle Benzene: Charcoal Tubes: 1 X 12 No. Mercury: 30 mL X 6 No. Amber Colour Bottle |
| Date of Sampling | 20.02.2015 to 21.02.2015 | Date of Receipt of Sample | 21.02.2015 |
| Sampling Procedure | As per method reference | | |
| Date of Start of Analysis | 21.02.2015 | Date of Completion of Analysis | 27.02.2015 |

| Meteorological Data | | | | |
|-------------------------------------|---------------------|--------------------------------------|--|---|
| Average Wind velocity 1.85 km/h | Relative Humidity % | | Temperature °C | |
| | Max. | Min. | Max. | Min. |
| | 42 | 12 | 31 | 20 |
| Location : Near Weigh Bridge | | Duration of Survey : 24 hours | | |
| Parameter | Unit | Result | # National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area) | Method Reference |
| Sulphur Dioxide (SO ₂) | µg/m ³ | 9.0 | 80 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1 |
| Nitrogen Dioxide (NO ₂) | µg/m ³ | 12.6 | 80 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7 |

Report No. 0190 cont...

| Parameter | Unit | Result | # National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area) | Method Reference |
|---|--------------------------|--------|--|--|
| Particulate Matter (size less than 10 μm) or PM_{10} | $\mu\text{g}/\text{m}^3$ | 77 | 100 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11 |
| Particulate Matter (size less than 2.5 μm) or $\text{PM}_{2.5}$ | $\mu\text{g}/\text{m}^3$ | 23 | 60 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.15 |
| Ozone (O_3) | $\mu\text{g}/\text{m}^3$ | <19.6 | 180 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.31 |
| Lead (Pb) | $\mu\text{g}/\text{m}^3$ | 0.05 | 01 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48 |
| Carbon Monoxide (CO) | mg/m^3 | 0.90 | 04 | IS 5182 (Part 10): 1999 RA 2003 |
| Ammonia (NH_3) | $\mu\text{g}/\text{m}^3$ | <20 | 400 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.35 |
| Benzene (C_6H_6) | $\mu\text{g}/\text{m}^3$ | 2.6 | 05 | IS 5182 (Part 11): 2006 |
| Benzo(a)Pyrene (BaP) (Particulate phase only) | ng/m^3 | <0.5 | 01 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.40 |
| Arsenic (As) | ng/m^3 | 0.7 | 06 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48 |
| Nickel (Ni) | ng/m^3 | 8.8 | 20 | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48 |
| Mercury | $\mu\text{g}/\text{m}^3$ | <0.06 | - | EPA/625/R-96/010 a Compendium Method 10-3.4 |
| <p>Remarks: TWA - Time Weighted Average. #- NAAQS(National Ambient Air Quality Standards(Industrial, Residential, Rural and other area) specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM_{10}, $\text{PM}_{2.5}$, Lead and Ammonia; 8 h. TWA in case of Carbon Monoxide; 1 h. TWA in case of Ozone, Annual TWA in case of Benzene, Benzo (a)Pyrene, Arsenic and Nickel</p> | | | | |

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


 Harish Mendhi
TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone: 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Water Sample Analysis Report

| | | | |
|---|---|---------------------------------------|--|
| Report No. : ME-NS0194-150302-SA-INDIABULLS-NASHIK | | Date: 02.03.2015 | |
| Name and Address of Customer | RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik. | | Order Reference |
| | | | Your P.O. No. 3320001083 Dtd. 18.11.2011,(Amendment Dtd. 16.01.2014) |
| Sample Description/Type | Water | Sample Collected by | Laboratory |
| Sampling Location | IRL Canteen Cooler Outlet | Sample Quantity/Packing | 5 L X 1 No. Plastic Can 300 mL X 1 No. DO Glass Bottle 250 mL X 1 No. Sterile Glass Bottle |
| Date of Sampling | 21.02.2015 | Date of Receipt of Sample | 21.02.2015 |
| Sampling Procedure | IS 1622:1981,Reaffirmed 2009; IS 3025 (Part 1):1987, Reaffirmed 2003 & APHA 22 nd Ed. 2012,1060 B, 1-39, 9060 A, 9-35 | | |
| Date of Start of Analysis | 21.02.2015 | Date of Completion of Analysis | 28.02.2015 |

| Sr. No. | Parameter | Unit | Result | Acceptable Limit as per IS 10500:2012 | Method Reference |
|----------------------------------|---|------------|-----------|---------------------------------------|--|
| Physico-Chemical Analysis | | | | | |
| 1. | Colour | Hazen Unit | 1 | Max. 5 | APHA 22 nd Ed. 2012, 2120-B, 2-26 |
| 2. | Odour | - | Agreeable | Agreeable | IS 3025 (Part 5): 1983, Reaffirmed 2006 |
| 3. | Turbidity | N.T.U. | <0.1 | Max. 1 | IS 3025 (Part 8): 1984, Reaffirmed 2003 |
| 4. | pH | - | 6.9 | 6.5-8.5 | APHA 22 nd Ed. 2012, 2130-B, 2-13 |
| 5. | Suspended Solids | mg/L | <5 | - | APHA 22 nd Ed. 2012, 4500-H ⁺ -B, 4-92 |
| 6. | Biochemical Oxygen Demand (3 days 27°C) | mg/L | <1 | - | IS 3025 (Part 17): 1984, Reaffirmed 2006, Amds.1 |
| 7. | Chemical Oxygen Demand | mg/L | <4 | - | APHA, 22 nd Ed. 2012, 5220-B, 5-17 |
| 8. | Oil & Grease | mg/L | <1 | - | APHA 22 nd Ed. 2012, 5520-B, 5-40 |
| 9. | Total Dissolved Solids | mg/L | 12 | Max. 500 | IS 3025 (Part 16): 1984, Reaffirmed 2006, Ed. 2.1 (1999-12) |
| 10. | Dissolved Oxygen | mg/L | 6.7 | - | IS 3025 (Part 38): 1989, Reaffirmed 2009 |

Report No. 0194 cont...

| Sr. No. | Parameter | Result | Unit | Acceptable Limit as per IS 10500:2012 | Method Reference |
|---------|--|--------|---------|---------------------------------------|--|
| 11. | Phenolphthalein Alkalinity (as CaCO ₃) | mg/L | N.D. | - | IS 3025 (Part 23): 1986, Reaffirmed 2009, Amds.1 |
| 12. | Methyl Orange Alkalinity (as CaCO ₃) | mg/L | 10 | - | IS 3025 (Part 23): 1986, Reaffirmed 2009, Amds.1 |
| 13. | Total Hardness (as CaCO ₃) | mg/L | 2 | Max. 200 | APHA 22 nd Ed. 2012, 2340 C, 2-44 |
| 14. | Calcium (as Ca) | mg/L | <0.4 | Max. 75 | APHA 22 nd Ed. 2012, 3500-Ca-B, 3-67 |
| 15. | Magnesium (as Mg) | mg/L | 0.36 | Max. 30 | APHA 22 nd Ed. 2012, 3500-Mg, B, 3-84 |
| 16. | Arsenic (as As) | mg/L | <0.005 | Max. 0.01 | IS 3025 (Part 2): 2004 |
| 17. | Cadmium (as Cd) | mg/L | <0.002 | Max. 0.003 | IS 3025 (Part 2): 2004 |
| 18. | Chromium (as Cr) | mg/L | <0.02 | Max. 0.05 | IS 3025 (Part 2): 2004 |
| 19. | Copper (as Cu) | mg/L | <0.02 | Max. 0.05 | IS 3025 (Part 2): 2004 |
| 20. | Iron (as Fe-Dissolved) | mg/L | <0.08 | - | APHA, 22 nd Ed. 2012, 3111-B, 3-18 |
| 21. | Iron (as Fe-Suspended) | mg/L | <0.08 | - | APHA, 22 nd Ed. 2012, 3111-B, 3-18 |
| 22. | Lead (as Pb) | mg/L | <0.008 | Max. 0.01 | IS 3025 (Part 2): 2004 |
| 23. | Manganese (as Mn) | mg/L | <0.02 | Max. 0.1 | IS 3025 (Part 2): 2004 |
| 24. | Mercury (as Hg) | mg/L | <0.0008 | Max. 0.001 | IS 3025 (Part 2): 2004 |
| 25. | Selenium (as Se) | mg/L | <0.005 | Max. 0.01 | IS 3025 (Part 2): 2004 |
| 26. | Zinc (as Zn) | mg/L | <0.05 | Max. 5 | IS 3025 (Part 2): 2004 |
| 27. | Nickel (as Ni) | mg/L | <0.01 | - | IS 3025 (Part 2): 2004 |
| 28. | Barium (as Ba) | mg/L | <0.1 | - | IS 3025 (Part 2): 2004 |
| 29. | Sodium (as Na) | mg/L | 1.2 | - | IS 3025 (Part 45): 1993, Reaffirmed 2009, Amds.1 |
| 30. | Potassium (as K) | mg/L | 0.7 | - | IS 3025 (Part 45): 1993, Reaffirmed 2009 |

Report No. 0194 cont...

| Sr. No. | Parameter | Unit | Result | Acceptable Limit as per IS 10500:2012 | Method Reference |
|---------------------------------|---|-----------|--------|---------------------------------------|--|
| 31. | Chloride (as Cl) | mg/L | 1.0 | Max. 250 | APHA, 22 nd Ed. 2012, 4500-Cl, B,4-72 |
| 32. | Sulphate (as SO ₄) | mg/L | <1 | Max. 200 | IS 3025 (Part 24): 1986, Reaffirmed 2009 |
| 33. | Fluoride (as F) | mg/L | <0.05 | Max. 1 | APHA, 22 nd Ed. 2012, 4500-F-, D, 4-87 |
| 34. | Phosphate (as PO ₄) | mg/L | <0.03 | - | APHA, 22 nd Ed. 2012, 4500 P, E, 4-155 |
| 35. | Nitrate (as NO ₃) | mg/L | 0.35 | Max. 45 | APHA, 22 nd Ed. 2012, 4500-NO ₃ , E-4-125 |
| 36. | Dissolved Silica (as SiO ₂) | mg/L | 0.93 | - | APHA, 22 nd Ed. 2012, 4500-SiO ₂ , D,4-169 |
| 37. | Hydrogen Sulphide (as H ₂ S) | mg/L | <0.08 | - | APHA 22 nd Ed. 2012, 4500-S ² , C-4-175, F-4-178 |
| 38. | Carbon Dioxide | mg/L | 2.64 | - | APHA, 22 nd Ed. 2012, 4500-CO ₂ -C, 4-31 |
| 39. | Permanganate Value at 37 ^o C | mg/L | <0.1 | - | IS 3025 (Part 63): 2007 |
| Microbiological Analysis | | | | | |
| 40. | Total Coliforms | MPN/100mL | Absent | Not Detectable | APHA 22 nd Ed. 2012, 9221-D, 9-73 |
| 41. | E. coli | MPN/100mL | Absent | Not Detectable | APHA 22 nd Ed. 2012, 9221-G, 9-76 |
| Remarks: | | | | | |

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.




Harish Mendhi
TECHNICAL MANAGER

Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone: 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Water Sample Analysis Report

| | | | |
|---|---|---|-------------------------|
| Report No. : ME-NS0196-150302-SA-INDIABULLS-NASHIK | | Date: 02.03.2015 | |
| Name and Address of Customer | RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik. | Order Reference | |
| | | Your P.O. No. 3320001083 Dtd.18.11.2011, (Amendment Dtd.16.01.2014) | |
| Sample Description/Type | Ground Water | Sample Collected by | Laboratory |
| Sampling Location | Village Kedarpur | Sample Quantity/Packing | 5 L X 1 No. Plastic Can |
| Date of Sampling | 21.02.2015 | Date of Receipt of Sample | 21.02.2015 |
| Sampling Procedure | IS 3025 (Part 1): 1987, Reaffirmed 1987, Reaffirmed 1998 & APHA 22 nd Ed. 2012, 1060 B, 1-39 | | |
| Date of Start of Analysis | 21.02.2015 | Date of Completion of Analysis | 28.02.2015 |

| Sr. No. | Parameter | Unit | Result | Acceptable Limit as per IS 10500:2012 | Method Reference |
|----------------------------------|--|-------------|-----------|---------------------------------------|--|
| Physico-Chemical Analysis | | | | | |
| 1. | Colour | Hazen Units | 1 | Max. 5 | APHA 22 nd Ed. 2012, 2120-B, 2-26 |
| 2. | Odour | - | Agreeable | Agreeable | IS 3025 (Part 5): 1983, RA 2006 |
| 3. | Turbidity | N.T.U. | <0.1 | Max. 1 | APHA 22 nd Ed. 2012, 2130-B, 2-13 |
| 4. | pH | - | 8.0 | 6.5-8.5 | APHA 22 nd Ed. 2012, 4500-H ⁺ -B, 4-92 |
| 5. | Suspended Solids | mg/L | <5 | - | IS 3025 (Part 17): 1984, RA 2006, Amds.1 |
| 6. | Total Dissolved Solids | mg/L | 768 | Max. 500 | IS 3025 (Part 16): 1984, RA 2006, Ed. 2.1 (1999-12) |
| 7. | Dissolved Oxygen | mg/L | 6.7 | - | IS 3025 (Part 38): 1989, RA 2009 |
| 8. | Alkalinity (as CaCO ₃) | mg/L | 200 | Max. 200 | IS 3025 (Part 23): 1986, RA 2009, Amds.1 |
| 9. | Total Hardness (as CaCO ₃) | mg/L | 548 | Max. 200 | APHA 22 nd Ed. 2012, 2340 C, 2-44 |
| 10. | Calcium (as Ca) | mg/L | 117 | Max. 75 | APHA 22 nd Ed. 2012, 3500-Ca-B, 3-65 |
| 11. | Magnesium (as Mg) | mg/L | 62.2 | Max. 30 | APHA 22 nd Ed. 2012, 3500-Mg, B, 3-84 |
| 12. | Aluminium (as Al) | mg/L | <0.025 | Max. 0.03 | APHA 22 nd Ed. 2012, 3500-Al-B, 3-61 |
| 13. | Arsenic (as As) | mg/L | <0.005 | Max. 0.01 | IS 3025 (Part 2): 2004 |

Report No. 0196 cont...

| Sr. No. | Parameter | Unit | Result | Acceptable Limit as per IS 10500:2012 | Method Reference |
|---------|--|------|---------|---------------------------------------|---|
| 14. | Cadmium (as Cd) | mg/L | <0.002 | Max. 0.003 | IS 3025 (Part 2): 2004 |
| 15. | Chromium (as Cr ⁺⁶) | mg/L | <0.02 | - | APHA 22 nd Ed. 2012, 3500 Cr-B, 3-69 |
| 16. | Copper (as Cu) | mg/L | <0.02 | Max. 0.05 | IS 3025 (Part 2): 2004 |
| 17. | Iron (as Fe) | mg/L | <0.08 | Max. 0.3 | APHA 22 nd Ed. 2012, 3111-B, 3-18 |
| 18. | Lead (as Pb) | mg/L | <0.008 | Max. 0.01 | IS 3025 (Part 2): 2004 |
| 19. | Manganese (as Mn) | mg/L | <0.02 | Max. 0.1 | IS 3025 (Part 2): 2004 |
| 20. | Mercury (as Hg) | mg/L | <0.0008 | Max. 0.001 | IS 3025 (Part 2): 2004 |
| 21. | Selenium (as Se) | mg/L | <0.005 | Max. 0.01 | IS 3025 (Part 2): 2004 |
| 22. | Zinc (as Zn) | mg/L | <0.05 | Max. 5 | IS 3025 (Part 2): 2004 |
| 23. | Boron (as B) | mg/L | 0.13 | Max. 0.5 | APHA 22 nd Ed. 2012, 4500-B -B, 4-25 |
| 24. | Residual free chlorine | mg/L | <0.05 | Min.0.2 | IS 3025 (Part 26): 1986, Reaffirmed 2009, Ed. 2.1 |
| 25. | Chloride (as Cl) | mg/L | 177 | Max. 250 | APHA 22 nd Ed. 2012, 4500-Cl, B, 4-72 |
| 26. | Sulphate (as SO ₄) | mg/L | 136 | Max. 200 | IS 3025 (Part 24): 1986, Reaffirmed 2009 |
| 27. | Fluoride (as F) | mg/L | 0.40 | Max. 1 | APHA 22 nd Ed. 2012, 4500-F-, D, 4-87 |
| 28. | Nitrate (as NO ₃) | mg/L | 17.9 | Max. 45 | APHA 22 nd Ed. 2012, 4500-NO ₃ , B -4-122 |
| 29. | Cyanide (as CN) | mg/L | <0.001 | Max. 0.05 | APHA 22 nd Ed. 2012, 4500-CN, C & E, 4-39 & 4-44 |
| 30. | Phenolic Compounds (as C ₆ H ₅ OH) | mg/L | <0.001 | Max. 0.001 | APHA 22 nd Ed. 2012, 5530- B & C, 5-44 & 5-47 |
| 31. | Mineral Oil | mg/L | <0.005 | Max. 0.5 | IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1 |

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.



Harish Mendhi
TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone: 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Water Sample Analysis Report

| | | | |
|--|--|---|---|
| Report No. : ME-NS0205-150318-SA-RATTANINDIA-NASHIK | | Date: 18.03.2015 | |
| Name and Address of Customer | RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik. | Order Reference | |
| | | Your P.O. No. 3320001083 Dtd.18.11.2011, (Amendment Dtd.16.01.2014) | |
| Sample Description/Type | Ground Water | Sample Collected by | Laboratory |
| Sampling Location | Village Musalgaon | Sample Quantity/Packing | 5 L X 1 No. Plastic can 250 mL X 1 No. Sterile Glass Bottle |
| Date of Sampling | 12.03.2015 | Date of Receipt of Sample | 12.03.2015 |
| Sampling Procedure | IS 1622:1981, Reaffirmed 2009; IS 3025 (Part 1): 1987, Reaffirmed 1987, Reaffirmed 1998 & APHA 22 nd Ed. 2012, 1060 B, 1-39 | | |
| Date of Start of Analysis | 12.03.2015 | Date of Completion of Analysis | 18.03.2015 |

| Sr. No. | Parameter | Unit | Result | Acceptable Limit for Drinking Water as per IS 10500:2012 | Method Reference |
|----------------------------------|--|-------------|-----------|--|--|
| Physico-Chemical Analysis | | | | | |
| 1. | Colour | Hazen Units | 1 | Max. 5 | APHA 22 nd Ed. 2012, 2120-B, 2-26 |
| 2. | Odour | - | Agreeable | Agreeable | IS 3025 (Part 5): 1983, RA 2006 |
| 3. | Turbidity | N.T.U. | <0.1 | Max. 1 | APHA 22 nd Ed. 2012, 2130-B, 2-13 |
| 4. | pH | - | 7.7 | 6.5-8.5 | APHA 22 nd Ed. 2012, 4500-H ⁺ -B, 4-92 |
| 5. | Suspended Solids | mg/L | <5 | - | IS 3025 (Part 17): 1984, RA 2006, Amds.1 |
| 6. | Total Dissolved Solids | mg/L | 1196 | Max. 500 | IS 3025 (Part 16): 1984, RA 2006, Ed. 2.1 (1999-12) |
| 7. | Dissolved Oxygen | mg/L | 6.8 | - | IS 3025 (Part 38): 1989, RA 2009 |
| 8. | Alkalinity (as CaCO ₃) | mg/L | 300 | Max. 200 | IS 3025 (Part 23): 1986, RA 2009, Amds.1 |
| 9. | Total Hardness (as CaCO ₃) | mg/L | 930 | Max. 200 | APHA 22 nd Ed. 2012, 2340 C, 2-44 |
| 10. | Calcium (as Ca) | mg/L | 168 | Max. 75 | APHA 22 nd Ed. 2012, 3500-Ca-B, 3-65 |
| 11. | Magnesium (as Mg) | mg/L | 124 | Max. 30 | APHA 22 nd Ed. 2012, 3500-Mg, B, 3-84 |
| 12. | Aluminium (as Al) | mg/L | <0.025 | Max. 0.03 | APHA 22 nd Ed. 2012, 3500-Al-B, 3-61 |
| 13. | Arsenic (as As) | mg/L | <0.005 | Max. 0.01 | IS 3025 (Part 2): 2004 |

Page 1 of 2

Report No. 0205 cont...

| Sr. No. | Parameter | Unit | Result | Acceptable Limit for Drinking Water as per IS 10500:2012 | Method Reference |
|---------------------------------|--|---------|---------|--|---|
| 14. | Cadmium (as Cd) | mg/L | <0.002 | Max. 0.003 | IS 3025 (Part 2): 2004 |
| 15. | Chromium (as Cr) | mg/L | <0.02 | - | APHA 22 nd Ed. 2012, 3500 Cr-B, 3-69 |
| 16. | Copper (as Cu) | mg/L | <0.02 | Max. 0.05 | IS 3025 (Part 2): 2004 |
| 17. | Iron (as Fe) | mg/L | <0.08 | Max. 0.3 | APHA 22 nd Ed. 2012, 3111-B, 3-18 |
| 18. | Lead (as Pb) | mg/L | <0.008 | Max. 0.01 | IS 3025 (Part 2): 2004 |
| 19. | Manganese (as Mn) | mg/L | <0.02 | Max. 0.1 | IS 3025 (Part 2): 2004 |
| 20. | Mercury (as Hg) | mg/L | <0.0008 | Max. 0.001 | IS 3025 (Part 2): 2004 |
| 21. | Selenium (as Se) | mg/L | <0.005 | Max. 0.01 | IS 3025 (Part 2): 2004 |
| 22. | Zinc (as Zn) | mg/L | 0.06 | Max. 5 | IS 3025 (Part 2): 2004 |
| 23. | Boron (as B) | mg/L | 3.61 | Max. 0.5 | APHA 22 nd Ed. 2012, 4500-B - B, 4-25 |
| 24. | Residual free chlorine | mg/L | <0.05 | Min.0.2 | IS 3025 (Part 26): 1986, Reaffirmed 2009, Ed. 2.1 |
| 25. | Chloride (as Cl) | mg/L | 352 | Max. 250 | APHA 22 nd Ed. 2012, 4500-Cl, B, 4-72 |
| 26. | Sulphate (as SO ₄) | mg/L | 53.9 | Max. 200 | IS 3025 (Part 24): 1986, Reaffirmed 2009 |
| 27. | Fluoride (as F) | mg/L | 0.27 | Max. 1 | APHA 22 nd Ed. 2012, 4500-F-, D, 4-87 |
| 28. | Nitrate (as NO ₃) | mg/L | 21.1 | Max. 45 | APHA 22 nd Ed. 2012, 4500-NO ₃ , B -4-122 |
| 29. | Cyanide (as CN) | mg/L | <0.001 | Max. 0.05 | APHA 22 nd Ed. 2012, 4500-CN, C & E, 4-39 & 4-44 |
| 30. | Phenolic Compounds (as C ₆ H ₅ OH) | mg/L | <0.001 | Max. 0.001 | APHA 22 nd Ed. 2012, 5530- B & C, 5-44 & 5-47 |
| 31. | Mineral Oil | mg/L | <0.005 | Max. 0.5 | IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1 |
| Microbiological Analysis | | | | | |
| 32. | Total Coliforms | /100 mL | 9.3 | Not Detectable | APHA 22 nd Ed. 2012, 9221-D, 9-73 |
| 33. | <i>E. coli</i> | /100 mL | Absent | Not Detectable | APHA 22 nd Ed. 2012, 9221-G, 9-76 |

-END-

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


 Harish Mendhi
TECHNICAL MANAGER



Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone: 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Water Sample Analysis Report

| | | | |
|---|---|---|---|
| Report No. : ME-NS0197-150302-SA-INDIABULLS-NASHIK | | Date: 02.03.2015 | |
| Name and Address of Customer | RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik. | Order Reference | |
| | | Your P.O. No. 3320001083 Dtd.18.11.2011, (Amendment Dtd.16.01.2014) | |
| Sample Description/Type | Ground Water | Sample Collected by | Laboratory |
| Sampling Location | Village Gulvanch | Sample Quantity/Packing | 5 L X 1 No. Plastic Can 250 mL X 1 No. Sterile Glass Bottle |
| Date of Sampling | 21.02.2015 | Date of Receipt of Sample | 21.02.2015 |
| Sampling Procedure | IS 1622:1981, Reaffirmed 2009; IS 3025 (Part 1): 1987, Reaffirmed 1987, Reaffirmed 1998 & APHA 22 nd Ed. 2012, 1060 B, 1-39 | | |
| Date of Start of Analysis | 21.02.2015 | Date of Completion of Analysis | 28.02.2015 |

| Sr. No. | Parameter | Unit | Result | Acceptable Limit as per IS 10500:2012 | Method Reference |
|----------------------------------|--|-------------|-----------|---------------------------------------|--|
| Physico-Chemical Analysis | | | | | |
| 1. | Colour | Hazen Units | 1 | Max. 5 | APHA 22 nd Ed. 2012, 2120-B, 2-26 |
| 2. | Odour | - | Agreeable | Agreeable | IS 3025 (Part 5): 1983, RA 2006 |
| 3. | Turbidity | N.T.U. | <0.1 | Max. 1 | APHA 22 nd Ed. 2012, 2130-B, 2-13 |
| 4. | pH | - | 7.9 | 6.5-8.5 | APHA 22 nd Ed. 2012, 4500-H ⁺ -B, 4-92 |
| 5. | Suspended Solids | mg/L | <5 | - | IS 3025 (Part 17): 1984, RA 2006, Amds.1 |
| 6. | Total Dissolved Solids | mg/L | 1188 | Max. 500 | IS 3025 (Part 16): 1984, RA 2006, Ed. 2.1 (1999-12) |
| 7. | Dissolved Oxygen | mg/L | 6.8 | - | IS 3025 (Part 38): 1989, RA 2009 |
| 8. | Alkalinity (as CaCO ₃) | mg/L | 250 | Max. 200 | IS 3025 (Part 23): 1986, RA 2009, Amds.1 |
| 9. | Total Hardness (as CaCO ₃) | mg/L | 848 | Max. 200 | APHA 22 nd Ed. 2012, 2340 C, 2-44 |
| 10. | Calcium (as Ca) | mg/L | 132 | Max. 75 | APHA 22 nd Ed. 2012, 3500-Ca-B, 3-65 |
| 11. | Magnesium (as Mg) | mg/L | 126 | Max. 30 | APHA 22 nd Ed. 2012, 3500-Mg, B, 3-84 |
| 12. | Aluminium (as Al) | mg/L | <0.025 | Max. 0.03 | APHA 22 nd Ed. 2012, 3500-Al-B, 3-61 |
| 13. | Arsenic (as As) | mg/L | <0.005 | Max. 0.01 | IS 3025 (Part 2): 2004 |

Report No. 0197 cont...

| Sr. No. | Parameter | Unit | Result | Acceptable Limit as per IS 10500:2012 | Method Reference |
|---------------------------------|--|---------|---------|---------------------------------------|---|
| 14. | Cadmium (as Cd) | mg/L | <0.002 | Max. 0.003 | IS 3025 (Part 2): 2004 |
| 15. | Chromium (as Cr ⁺⁶) | mg/L | <0.02 | - | APHA 22 nd Ed. 2012, 3500 Cr-B, 3-69 |
| 16. | Copper (as Cu) | mg/L | <0.02 | Max. 0.05 | IS 3025 (Part 2): 2004 |
| 17. | Iron (as Fe) | mg/L | <0.06 | Max. 0.3 | APHA 22 nd Ed. 2012, 3111-B, 3-18 |
| 18. | Lead (as Pb) | mg/L | <0.008 | Max. 0.01 | IS 3025 (Part 2): 2004 |
| 19. | Manganese (as Mn) | mg/L | <0.02 | Max. 0.1 | IS 3025 (Part 2): 2004 |
| 20. | Mercury (as Hg) | mg/L | <0.0008 | Max. 0.001 | IS 3025 (Part 2): 2004 |
| 21. | Selenium (as Se) | mg/L | <0.005 | Max. 0.01 | IS 3025 (Part 2): 2004 |
| 22. | Zinc (as Zn) | mg/L | <0.05 | Max. 5 | IS 3025 (Part 2): 2004 |
| 23. | Boron (as B) | mg/L | 0.58 | Max. 0.5 | APHA 22 nd Ed. 2012, 4500-B -B, 4-25 |
| 24. | Residual free chlorine | mg/L | <0.05 | Min.0.2 | IS 3025 (Part 26): 1986, Reaffirmed 2009, Ed. 2.1 |
| 25. | Chloride (as Cl) | mg/L | 282 | Max. 250 | APHA 22 nd Ed. 2012, 4500-Cl, B, 4-72 |
| 26. | Sulphate (as SO ₄) | mg/L | 312 | Max. 200 | IS 3025 (Part 24): 1986, Reaffirmed 2009 |
| 27. | Fluoride (as F) | mg/L | 0.71 | Max. 1 | APHA 22 nd Ed. 2012, 4500-F-, D, 4-87 |
| 28. | Nitrate (as NO ₃) | mg/L | 18.4 | Max. 45 | APHA 22 nd Ed. 2012, 4500-NO ₃ , B -4-122 |
| 29. | Cyanide (as CN) | mg/L | <0.001 | Max. 0.05 | APHA 22 nd Ed. 2012, 4500-CN, C & E, 4-39 & 4-44 |
| 30. | Phenolic Compounds (as C ₆ H ₅ OH) | mg/L | <0.001 | Max. 0.001 | APHA 22 nd Ed. 2012, 5530- B & C, 5-44 & 5-47 |
| 31. | Mineral Oil | mg/L | <0.005 | Max. 0.5 | IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1 |
| Microbiological Analysis | | | | | |
| 32. | Total Coliforms | /100 mL | 47 | Not Detectable | APHA 22 nd Ed. 2012, 9221-D, 9-73 |
| 33. | <i>E. coli</i> | /100 mL | 40 | Not Detectable | APHA 22 nd Ed. 2012, 9221-G, 9-76 |

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Harish Mendhi

TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Noise Monitoring Report

| | |
|--|---|
| Name and Address of Customer | RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik. |
| Date of Sampling – 20.02.2015 to 21.02.2015 | |

| Sr. No. | Location | Time | Sound Level dB(A) Fast Response |
|-----------------------------|-------------------|--------------------------------------|------------------------------------|
| 1. | Near Weigh Bridge | 12.10 h | 69 |
| | | 01.20 h | 60 |
| 2. | Near IRL Office | 12.40 h | 68 |
| | | 01.50 h | 59 |
| 3. | Near Boiler House | 13.10 h | 66 |
| | | 02.20 h | 58 |
| Noise Level Standard | | | |
| Area Code | Area Type | Limit in dB(A) weighted scale | |
| | | Day | Night |
| A | Industrial | 75 | 70 |

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.



Harish Mendhi

TECHNICAL MANAGER

Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.