



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Ambient Air Quality Monitoring Report

Report No. : ME-NS0042-150622-SA-RNPL-NASHIK		Date: 22.06.2015	
Name and Address of Customer	RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik.		Order Reference
			Your Work Order No. 3520000054 Dt. 18.11.2011 Amendment: 1 Dt.16.01.2014
Sample Description/Type	Ambient Air	Sample Collected by	Laboratory
Sampling Location	Near Boiler House	Sample Quantity/Packing	PM ₁₀ , B(a)P, Ni, As, Pb: Filter Paper 1 X 3 No. PM _{2.5} : Filter Paper 1 X 1 No. SO ₂ : 30 mL X 6 No. Plastic Bottle NO ₂ : 30 mL X 6 No. Plastic Bottle NH ₃ : 10 mL X24 No.Plastic Bottle CO: 1 No. Plastic Bulb O ₃ : 10 mL X 1 No. Plastic Bottle Benzene: Charcoal Tubes: 1 X 6 No. Mercury: 30 mL X 6 No. Glass Bottle
Date of Sampling	15.06.2015 to 16.06.2015	Date of Receipt of Sample	16.06.2015
Sampling Procedure	As per method reference		
Date of Start of Analysis	16.06.2015	Date of Completion of Analysis	20.06.2015

Meteorological Data				
Average Wind velocity 0.77 km/h	Relative Humidity %		Temperature °C	
	Max.	Min.	Max.	Min.
		91	54	31
Location : Near Boiler House		Duration of Survey : 24 hours		
Parameter	Unit	Result	# National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area)	Method Reference
Sulphur Dioxide (SO ₂)	µg/m ³	7.5	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1
Nitrogen Dioxide (NO ₂)	µg/m ³	4.3	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7

Report No. 0042 cont...

Parameter	Unit	Result	# National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area)	Method Reference
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	90	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11
Particulate Matter (size less than 2.5µm) or PM _{2.5}	µg/m ³	25	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.15
Ozone (O ₃)	µg/m ³	<19.6	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.31
Lead (Pb)	µg/m ³	0.03	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48
*Carbon Monoxide (CO)	mg/m ³	0.54	04	IS 5182 (Part 10):1999 RA 2003
Ammonia (NH ₃)	µg/m ³	<20	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.35
Benzene (C ₆ H ₆)	µg/m ³	1.5	05	IS 5182 (Part 11): 2006
Benzo(a)Pyrene (BaP) (Particulate phase only)	ng/m ³	<0.5	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.40
Arsenic (As)	ng/m ³	<0.3	06	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48
Nickel (Ni)	ng/m ³	<3	20	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48
*Mercury	µg/m ³	<0.06	-	EPA/625/R-96/010 a Compendium Method 10-3.4
Remarks: The tests marked with an * are not accredited by NABL; TWA - Time Weighted Average. #- NAAQS(National Ambient Air Quality Standards(Industrial, Residential, Rural and other area) specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM ₁₀ , PM _{2.5} , Lead and Ammonia; 8 h. TWA in case of Carbon Monoxide; 1 h. TWA in case of Ozone, Annual TWA in case of Benzene, Benzo (a)Pyrene, Arsenic and Nickel				

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


 Harish Mendhi
TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagpur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Ambient Air Quality Monitoring Report

Report No. : ME-NS0043-150622-SA-RNPL-NASHIK		Date: 22.06.2015	
Name and Address of Customer	RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik.		Order Reference
			Your Work Order No. 3520000054 Dt. 18.11.2011 Amendment: 1 Dt.16.01.2014
Sample Description/ Type	Ambient Air	Sample Collected by	Laboratory
Sampling Location	Near Weigh Bridge	Sample Quantity/Packing	PM ₁₀ , B(a)P, Ni, As, Pb: Filter Paper 1 X 3 No. PM _{2.5} : Filter Paper 1 X 1 No. SO ₂ : 30 mL X 6 No. Plastic Bottle NO ₂ : 30 mL X 6 No. Plastic Bottle NH ₃ : 10 mL X 24 No. Plastic Bottle CO: 1 No. Plastic Bulb 1 No. O ₃ : 10 mL X 1 No. Plastic Bottle Benzene: Charcoal Tubes: 1 X 6 No. Mercury: 30 mL X 6 No. Glass Bottle
Date of Sampling	15.06.2015 to 16.06.2015	Date of Receipt of Sample	16.06.2015
Sampling Procedure	As per method reference		
Date of Start of Analysis	16.06.2015	Date of Completion of Analysis	20.06.2015

Meteorological Data				
Average Wind velocity 0.77 km/h	Relative Humidity %		Temperature °C	
	Max.	Min.	Max.	Min.
		91	54	31
Location : Near Weigh Bridge		Duration of Survey : 24 hours		
Parameter	Unit	Result	# National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area)	Method Reference
Sulphur Dioxide (SO ₂)	µg/m ³	7.5	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1
Nitrogen Dioxide (NO ₂)	µg/m ³	5.1	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7

Page 1 of 2

Report No. 0043 cont...

Parameter	Unit	Result	# National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area)	Method Reference
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	70	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11
Particulate Matter (size less than 2.5µm) or PM _{2.5}	µg/m ³	18	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.15
Ozone (O ₃)	µg/m ³	<19.6	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.31
Lead (Pb)	µg/m ³	<0.02	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48
*Carbon Monoxide (CO)	mg/m ³	0.52	4	IS 5182 (Part 10):1999 RA 2003
Ammonia (NH ₃)	µg/m ³	<20	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.35
Benzene (C ₆ H ₆)	µg/m ³	2.3	05	IS 5182 (Part 11): 2006
Benzo(a)Pyrene (BaP) (Particulate phase only)	ng/m ³	<0.5	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.40
Arsenic (As)	ng/m ³	<0.3	06	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48
Nickel (Ni)	ng/m ³	<3	20	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48
*Mercury	µg/m ³	<0.06	-	EPA/625/R-96/010 a Compendium Method 10-3.4

Remarks: The tests marked with an * are not accredited by NABL; TWA - Time Weighted Average. #- NAAQS(National Ambient Air Quality Standards(Industrial, Residential, Rural and other area) specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM₁₀, PM_{2.5}, Lead and Ammonia; 8 h. TWA in case of Carbon Monoxide; 1 h. TWA in case of Ozone, Annual TWA in case of Benzene, Benzo (a)Pyrene, Arsenic and Nickel

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


Harish Mendhi
TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Ambient Air Quality Monitoring Report

Report No. : ME-NS0041-150622-SA-RNPL-NASHIK		Date: 22.06.2015	
Name and Address of Customer	RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik.	Order Reference	
		Your Work Order No. 3520000054 Dt. 18.11.2011 Amendment: 1 Dt.16.01.2014	
Sample Description/Type	Ambient Air	Sample Collected by	Laboratory
Sampling Location	Near RNPL Office	Sample Quantity/Packing	PM ₁₀ , B(a)P, Ni, As, Pb: Filter Paper 1 X 3 No. PM _{2.5} : Filter Paper 1 X 1 No. SO ₂ : 30 mL X 6 No. Plastic Bottle NO ₂ : 30 mL X 6 No. Plastic Bottle NH ₃ : 10 mL X 24 No. Plastic Bottle CO: 1 No. Plastic Bulb O ₃ : 10 mL X 1 No. Plastic Bottle Benzene: Charcoal Tubes: 1 X 6 No. Mercury: 30 mL X 6 No. Glass Bottle
Date of Sampling	15.06.2015 to 16.06.2015	Date of Receipt of Sample	16.06.2015
Sampling Procedure	As per method reference		
Date of Start of Analysis	16.06.2015	Date of Completion of Analysis	20.06.2015

Meteorological Data				
Average Wind velocity 0.77 km/h	Relative Humidity %		Temperature °C	
	Max.	Min.	Max.	Min.
		91	54	31
Location : Near RNPL Office		Duration of Survey : 24 hours		
Parameter	Unit	Result	# National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area)	Method Reference
Sulphur Dioxide (SO ₂)	µg/m ³	4.4	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1
Nitrogen Dioxide (NO ₂)	µg/m ³	3.6	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7

Report No. 0041 cont...

Parameter	Unit	Result	# National Ambient Air Quality Standards (NAAQS) (Industrial, Residential, Rural and other Area)	Method Reference
Particulate Matter (size less than 10 μm) or PM_{10}	$\mu\text{g}/\text{m}^3$	63	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11
Particulate Matter (size less than 2.5 μm) or $\text{PM}_{2.5}$	$\mu\text{g}/\text{m}^3$	17	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.15
Ozone (O_3)	$\mu\text{g}/\text{m}^3$	<19.6	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.31
Lead (Pb)	$\mu\text{g}/\text{m}^3$	<0.02	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48
*Carbon Monoxide (CO)	mg/m^3	0.58	04	IS 5182 (Part 10): 1999 RA 2003
Ammonia (NH_3)	$\mu\text{g}/\text{m}^3$	<20	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.35
Benzene (C_6H_6)	$\mu\text{g}/\text{m}^3$	<1	05	IS 5182 (Part 11): 2006
Benzo(a)Pyrene (BaP) (Particulate phase only)	ng/m^3	<0.5	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.40
Arsenic (As)	ng/m^3	0.6	06	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48
Nickel (Ni)	ng/m^3	<3	20	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13,Page No.48
*Mercury	$\mu\text{g}/\text{m}^3$	<0.06	-	EPA/625/R-96/010 a Compendium Method 10-3.4
<p>Remarks: The tests marked with an * are not accredited by NABL; TWA - Time Weighted Average. #- NAAQS(National Ambient Air Quality Standards(Industrial, Residential, Rural and other area) specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM_{10}, $\text{PM}_{2.5}$, Lead and Ammonia; 8 h. TWA in case of Carbon Monoxide; 1 h. TWA in case of Ozone, Annual TWA in case of Benzene, Benzo (a)Pyrene, Arsenic and Nickel</p>				

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


Harish Mendhi
TECHNICAL MANAGER



Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone: 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Water Sample Analysis Report

Report No. : ME-NS0047-150620-SA-RNPL-NASHIK		Date: 20.06.2015	
Name and Address of Customer	RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik.	Order Reference	
		Your P.O. No. 3320001083 Dtd. 18.11.2011, (Amendment Dtd. 16.01.2014)	
Sample Description/Type	Water	Sample Collected by	Laboratory
Sampling Location	RNPL New Field Hostel	Sample Quantity/Packing	5 L X 1 No. Plastic Can 1 L X 1 No. Glass Bottle 250 mL X 1 No. Sterile Glass Bottle 300mL X 1 No. Glass Bottle
Date of Sampling	16.06.2015	Date of Receipt of Sample	16.06.2015
Sampling Procedure	IS 1622:1981, Reaffirmed 2009; IS 3025 (Part 1):1987, Reaffirmed 2003 & APHA 22 nd Ed. 2012, 1060 B, 1-39, 9060 A, 9-35		
Date of Start of Analysis	16.06.2015	Date of Completion of Analysis	20.06.2015

Sr. No.	Parameter	Unit	Result	Acceptable Limit as per IS 10500:2012	Method Reference
Physico-Chemical Analysis					
1.	Colour	Hazen Unit	1	Max. 5	IS 3025 (Part 4): 1983, RA 2006
2.	Odour	-	Agreeable	Agreeable	IS 3025 (Part 5): 1983, RA 2006
3.	Turbidity	N.T.U.	<0.1	Max. 1	IS 3025 (Part 10): 1983, RA 2006
4.	pH	-	7.4	6.5-8.5	IS 3025 (Part II): 1983, RA 2006
5.	Suspended Solids	mg/L	<5	-	IS 3025 (Part 17): 1984, RA 2006, Amds.1
6.	*Biochemical Oxygen Demand (3 days 27°C)	mg/L	2	-	IS 3025 (Part 17): 1984, Reaffirmed 2006, Amds.1
7.	*Chemical Oxygen Demand	mg/L	6	-	APHA, 22 nd Ed. 2012, 5220-B, 5-17
8.	*Oil & Grease	mg/L	<1	-	APHA, 22 nd Ed. 2012, 5520-B, 5-40
9.	Total Dissolved Solids	mg/L	66	Max. 500	IS 3025 (Part 16): 1984, Reaffirmed 2006, Ed. 2.1 (1999-12)
10.	Dissolved Oxygen	mg/L	7.0	-	IS 3025 (Part 38): 1989, Reaffirmed 2009

Page 1 of 3

Report No. 0047 cont...

Sr. No.	Parameter	Result	Unit	Acceptable Limit as per IS 10500:2012	Method Reference
11.	Phenolphthalein Alkalinity (as CaCO ₃)	mg/L	<1	-	IS 3025 (Part 23): 1986, Reaffirmed 2009, Amds.1
12.	Methyl Orange Alkalinity (as CaCO ₃)	mg/L	40	-	IS 3025 (Part 23): 1986, Reaffirmed 2009, Amds.1
13.	Total Hardness (as CaCO ₃)	mg/L	44	Max. 200	IS 3025 (Part 21): 1983, RA 2006
14.	Calcium (as Ca)	mg/L	11.2	Max. 75	IS 3025 (Part 40): 1991, RA 2009, Amds.1
15.	Magnesium (as Mg)	mg/L	3.9	Max. 30	IS 3025 (Part 46): 1994, RA 2009, Amds.2
16.	*Arsenic (as As)	mg/L	<0.005	Max. 0.01	IS 3025 (Part 2): 2004
17.	*Cadmium (as Cd)	mg/L	<0.002	Max. 0.003	IS 3025 (Part 2): 2004
18.	*Chromium (as Cr)	mg/L	<0.02	Max. 0.05	IS 3025 (Part 2): 2004
19.	*Copper (as Cu)	mg/L	<0.02	Max. 0.05	IS 3025 (Part 2): 2004
20.	Iron (as Fe-Dissolved)	mg/L	<0.08	-	APHA, 22 nd Ed. 2012, 3111-B, 3-18
21.	Iron (as Fe-Suspended)	mg/L	<0.08	-	APHA, 22 nd Ed. 2012, 3111-B, 3-18
22.	*Lead (as Pb)	mg/L	<0.008	Max. 0.01	IS 3025 (Part 2): 2004
23.	*Manganese (as Mn)	mg/L	<0.02	Max. 0.1	IS 3025 (Part 2): 2004
24.	*Mercury (as Hg)	mg/L	<0.0008	Max. 0.001	IS 3025 (Part 2): 2004
25.	*Selenium (as Se)	mg/L	<0.005	Max. 0.01	IS 3025 (Part 2): 2004
26.	*Zinc (as Zn)	mg/L	<0.05	Max. 5	IS 3025 (Part 2): 2004
27.	*Nickel (as Ni)	mg/L	<0.01	Max. 0.02	IS 3025 (Part 2): 2004
28.	*Barium (as Ba)	mg/L	<0.1	Max. 0.7	IS 3025 (Part 2): 2004
29.	Sodium (as Na)	mg/L	6.0	-	IS 3025 (Part 45): 1993, Reaffirmed 2009, Amds.1
30.	Potassium (as K)	mg/L	1.0	-	IS 3025 (Part 45): 1993, Reaffirmed 2009

Report No. 0047 cont...

Sr. No.	Parameter	Unit	Result	Acceptable Limit as per IS 10500:2012	Method Reference
31.	Chloride (as Cl)	mg/L	8.5	Max. 250	IS 3025 (Part 32): 1988, Reaffirmed 2009
32.	Sulphate (as SO ₄)	mg/L	<1	Max. 200	IS 3025 (Part 24): 1986, Reaffirmed 2009
33.	Fluoride (as F)	mg/L	<0.05	Max. 1	APHA, 22 nd Ed. 2012, 4500-F-, D, 4-87
34.	*Phosphate (as P)	mg/L	<0.03	-	APHA, 22 nd Ed. 2012, 4500 P, E, 4-155
35.	Nitrate (as NO ₃)	mg/L	0.91	Max. 45	APHA, 22 nd Ed. 2012, 4500-NO ₃ , E-4-125
36.	*Dissolved Silica (as SiO ₂)	mg/L	2.60	-	APHA, 22 nd Ed. 2012, 4500-SiO ₂ , D,4-169
37.	*Hydrogen Sulphide (as H ₂ S)	mg/L	<0.08	-	APHA 22 nd Ed. 2012, 4500-S ² , C-4-175, F-4-178
38.	*Carbon Dioxide	mg/L	1.76	-	APHA, 22 nd Ed. 2012, 4500-CO ₂ -C, 4-31
39.	*Permanganate Value at 25 ^o C	mg/L	<0.1	-	IS 3025 (Part 63): 2007
Microbiological Analysis					
40.	*Total Coliforms	/100mL	Absent	Not Detectable	APHA 22 nd Ed. 2012, 9221-D, 9-73
41.	*E. coli	/100mL	Absent	Not Detectable	APHA 22 nd Ed. 2012, 9221-G, 9-76
Remarks: The tests marked with an * are not accredited by NABL;					

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


 Harish Mendhi
TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone: 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Water Sample Analysis Report

Report No. : ME-NS0048-150620-SA-RNPL-NASHIK		Date: 20.06.2015	
Name and Address of Customer	RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik.	Order Reference	
		Your P.O. No. 3320001083 Dtd.18.11.2011,(Amendment Dtd.16.01.2014)	
Sample Description/Type	Ground Water	Sample Collected by	Laboratory
Sampling Location	Village Gulvanch	Sample Quantity/Packing	5 L X 1 No. Plastic Can 1 L X 1 No. Glass Bottle 250 mL X 1 No. Sterile Glass Bottle 300mL X 1 No. Glass Bottle
Date of Sampling	16.06.2015	Date of Receipt of Sample	16.06.2015
Sampling Procedure	IS 1622:1981, Reaffirmed 2009; IS 3025 (Part 1): 1987, Reaffirmed 1987, Reaffirmed 1998 & APHA 22 nd Ed. 2012, 1060 B, 1-39		
Date of Start of Analysis	16.06.2015	Date of Completion of Analysis	20.06.2015

Sr. No.	Parameter	Unit	Result	Acceptable Limit for Drinking Water as per IS 10500:2012	Method Reference
Physico-Chemical Analysis					
1.	Colour	Hazen Units	1	Max. 5	APHA 22 nd Ed. 2012, 2120-B, 2-26
2.	Odour	-	Agreeable	Agreeable	IS 3025 (Part 5): 1983, RA 2006
3.	Turbidity	N.T.U.	<0.1	Max. 1	APHA 22 nd Ed. 2012, 2130-B, 2-13
4.	pH	-	8.2	6.5-8.5	APHA 22 nd Ed. 2012, 4500-H ⁺ -B, 4-92
5.	Suspended Solids	mg/L	<5	-	IS 3025 (Part 17): 1984, RA 2006, Amds.1
6.	Total Dissolved Solids	mg/L	1136	Max. 500	IS 3025 (Part 16): 1984, RA 2006, Ed. 2.1 (1999-12)
7.	Dissolved Oxygen	mg/L	6.8	-	IS 3025 (Part 38): 1989, RA 2009
8.	Alkalinity (as CaCO ₃)	mg/L	240	Max. 200	IS 3025 (Part 23): 1986, RA 2009, Amds.1
9.	Total Hardness (as CaCO ₃)	mg/L	420	Max. 200	APHA 22 nd Ed. 2012, 2340 C, 2-44
10.	Calcium (as Ca)	mg/L	49.6	Max. 75	APHA 22 nd Ed. 2012, 3500-Ca-B, 3-65
11.	Magnesium (as Mg)	mg/L	71.9	Max. 30	APHA 22 nd Ed. 2012, 3500-Mg, B, 3-84
12.	*Aluminium (as Al)	mg/L	<0.025	Max. 0.03	APHA 22 nd Ed. 2012, 3500-Al-B, 3-61
13.	*Arsenic (as As)	mg/L	<0.005	Max. 0.01	IS 3025 (Part 2): 2004

Page 1 of 2

Report No. 0048 cont...

Sr. No.	Parameter	Unit	Result	Acceptable Limit for Drinking Water as per IS 10500:2012	Method Reference
14.	*Cadmium (as Cd)	mg/L	<0.002	Max. 0.003	IS 3025 (Part 2): 2004
15.	*Chromium (as Cr)	mg/L	<0.02	Max. 0.05	IS 3025 (Part 2): 2004
16.	*Copper (as Cu)	mg/L	<0.02	Max. 0.05	IS 3025 (Part 2): 2004
17.	Iron (as Fe)	mg/L	<0.08	Max. 0.3	IS 3025 (Part 2): 2004
18.	*Lead (as Pb)	mg/L	<0.008	Max. 0.01	IS 3025 (Part 2): 2004
19.	*Manganese (as Mn)	mg/L	<0.02	Max. 0.1	IS 3025 (Part 2): 2004
20.	*Mercury (as Hg)	mg/L	<0.0008	Max. 0.001	IS 3025 (Part 2): 2004
21.	*Selenium (as Se)	mg/L	<0.005	Max. 0.01	IS 3025 (Part 2): 2004
22.	*Zinc (as Zn)	mg/L	<0.05	Max. 5	IS 3025 (Part 2): 2004
23.	Boron (as B)	mg/L	0.79	Max. 0.5	APHA 22 nd Ed. 2012, 4500-B - B, 4-25
24.	Chloride (as Cl)	mg/L	240	Max. 250	IS 3025 (Part 32): 1988, Reaffirmed 2009
25.	Sulphate (as SO ₄)	mg/L	522	Max. 200	IS 3025 (Part 24): 1986, Reaffirmed 2009
26.	Fluoride (as F)	mg/L	0.96	Max. 1	APHA 22 nd Ed. 2012, 4500-F - D, 4-87
27.	Nitrate (as NO ₃)	mg/L	85.7	Max. 45	APHA 22 nd Ed. 2012, 4500-NO ₃ , B -4-122
29.	*Cyanide (as CN)	mg/L	<0.001	Max. 0.05	APHA 22 nd Ed. 2012, 4500-CN, C & E, 4-41 & 4-43
30.	*Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	<0.001	Max. 0.001	APHA 22 nd Ed. 2012, 5530- B & C, 5-47
31.	*Mineral Oil	mg/L	<0.005	Max. 0.5	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1
Microbiological Analysis					
32.	*Total Coliforms	MPN/100mL	9.3	Not Detectable	APHA 22 nd Ed. 2012, 9221-B, 9-66
33.	*E .coli	/100mL	Absent	Not Detectable	APHA 22 nd Ed. 2012, 9221-G, 9-76
Remarks: The tests marked with an * are not accredited by NABL					

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


 Harish Mendhi
TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone: 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Water Sample Analysis Report

Report No. : ME-NS0049-150620-SA-RNPL-NASHIK		Date: 20.06.2015	
Name and Address of Customer	RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik.	Order Reference	
		Your P.O. No. 3320001083 Dtd.18.11.2011, (Amendment Dtd.16.01.2014)	
Sample Description/Type	Ground Water	Sample Collected by	Laboratory
Sampling Location	Village Kedarpur	Sample Quantity/Packing	5 L X 1 No. Plastic Can 1 L X 1 No. Glass Bottle 250 mL X 1 No. Sterile Glass Bottle 300 mL X 1 No. Glass Bottle
Date of Sampling	16.06.2015	Date of Receipt of Sample	16.06.2015
Sampling Procedure	IS 1622:1981, Reaffirmed 2009; IS 3025 (Part 1): 1987, Reaffirmed 1987, Reaffirmed 1998 & APHA 22 nd Ed. 2012, 1060 B, 1-39		
Date of Start of Analysis	16.06.2015	Date of Completion of Analysis	20.06.2015

Sr. No.	Parameter	Unit	Result	Acceptable Limit for Drinking Water as per IS 10500:2012	Method Reference
Physico-Chemical Analysis					
1.	Colour	Hazen Units	1	Max. 5	IS 3025 (Part 4): 1983, RA 2006
2.	Odour	-	Agreeable	Agreeable	IS 3025 (Part 5): 1983, RA 2006
3.	Turbidity	N.T.U.	<0.1	Max. 1	IS 3025 (Part 10): 1983, RA 2006
4.	pH	-	7.9	6.5-8.5	IS 3025 (Part II): 1983, RA 2006
5.	Suspended Solids	mg/L	<5	-	IS 3025 (Part 17): 1984, RA 2006, Amds.1
6.	Total Dissolved Solids	mg/L	844	Max. 500	IS 3025 (Part 16): 1984, RA 2006, Ed. 2.1 (1999-12)
7.	Dissolved Oxygen	mg/L	5.5	-	IS 3025 (Part 38): 1989, RA 2009
8.	Alkalinity (as CaCO ₃)	mg/L	185	Max. 200	IS 3025 (Part 23): 1986, RA 2009, Amds.1
9.	Total Hardness (as CaCO ₃)	mg/L	528	Max. 200	IS 3025 (Part 21): 1983, RA 2006
10.	Calcium (as Ca)	mg/L	97.9	Max. 75	IS 3025 (Part 40): 1991, RA 2009, Amds.1
11.	Magnesium (as Mg)	mg/L	69.0	Max. 30	IS 3025 (Part 46): 1994, RA 2009, Amds.2
12.	*Aluminium (as Al)	mg/L	<0.025	Max. 0.03	IS 3025 (Part 55): 2003, RA 2009
13.	*Arsenic (as As)	mg/L	<0.005	Max. 0.01	IS 3025 (Part 2): 2004

Report No. 0049 cont...

Sr. No.	Parameter	Unit	Result	Acceptable Limit for Drinking Water as per IS 10500:2012	Method Reference
14.	*Cadmium (as Cd)	mg/L	<0.002	Max. 0.003	IS 3025 (Part 2): 2004
15.	*Chromium (as Cr)	mg/L	<0.02	Max. 0.05	IS 3025 (Part 2): 2004
16.	*Copper (as Cu)	mg/L	<0.02	Max. 0.05	IS 3025 (Part 2): 2004
17.	Iron (as Fe)	mg/L	0.20	Max. 0.3	IS 3025 (Part 2): 2004
18.	*Lead (as Pb)	mg/L	0.008	Max. 0.01	IS 3025 (Part 2): 2004
19.	*Manganese (as Mn)	mg/L	<0.02	Max. 0.1	IS 3025 (Part 2): 2004
20.	*Mercury (as Hg)	mg/L	<0.0008	Max. 0.001	IS 3025 (Part 2): 2004
21.	*Selenium (as Se)	mg/L	<0.005	Max. 0.01	IS 3025 (Part 2): 2004
22.	*Zinc (as Zn)	mg/L	<0.05	Max. 5	IS 3025 (Part 2): 2004
23.	Boron (as B)	mg/L	0.62	Max. 0.5	APHA 22 nd Ed. 2012, 4500-B-B, 4-25
24.	Chloride (as Cl)	mg/L	256	Max. 250	IS 3025 (Part 32): 1988, Reaffirmed 2009
25.	Sulphate (as SO ₄)	mg/L	207	Max. 200	IS 3025 (Part 24): 1986, Reaffirmed 2009
26.	Fluoride (as F)	mg/L	0.32	Max. 1	APHA 22 nd Ed. 2012, 4500-F-, D, 4-87
27.	Nitrate (as NO ₃)	mg/L	81.8	Max. 45	APHA 22 nd Ed. 2012, 4500-NO ₃ , B -4-122
28.	*Cyanide (as CN)	mg/L	<0.001	Max. 0.05	APHA 22 nd Ed. 2012, 4500-CN, C & E, 4-41 & 4-43
29.	*Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	<0.001	Max. 0.001	APHA 22 nd Ed. 2012, 5530-B & C, 5-44 & 5-47
30.	*Mineral Oil	mg/L	<0.005	Max. 0.5	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1
Microbiological Analysis					
31.	*Total Coliforms	MPN /100 mL	24	Not Detectable	APHA 22 nd Ed. 2012, 9221-B, 9-66
32.	*E .coli	MPN /100 mL	2	Not Detectable	APHA 22 nd Ed. 2012, 9221-G, 9-76
Remarks: The tests marked with an * are not accredited by NABL					

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


 Harish Mendhi
TECHNICAL MANAGER



Note:

The result listed refers only to the tested sample(s) and applicable parameter(s).

1. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone: 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Water Sample Analysis Report

Report No. : ME-NS0050-150620-SA-RNPL-NASHIK		Date: 20.06.2015	
Name and Address of Customer	RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik.	Order Reference	
		Your P.O. No. 3320001083 Dtd.18.11.2011, (Amendment Dtd.16.01.2014)	
Sample Description/Type	Ground Water	Sample Collected by	Laboratory
Sampling Location	Village Musalgaon	Sample Quantity/Packing	5 L X 1 No. Plastic can 1 L X 1 No. Glass Bottle 300mL X 1 No. Glass Bottle
Date of Sampling	16.06.2015	Date of Receipt of Sample	16.06.2015
Sampling Procedure	IS 3025 (Part 1): 1987, RA 2003 & APHA 22 nd Ed. 2012, 1060 B, 1-39		
Date of Start of Analysis	16.06.2015	Date of Completion of Analysis	20.06.2015

Sr. No.	Parameter	Unit	Result	Acceptable Limit for Drinking Water as per IS 10500:2012	Method Reference
Physico-Chemical Analysis					
1.	Colour	Hazen Units	1	Max. 5	IS 3025 (Part 4): 1983, RA 2006
2.	Odour	-	Agreeable	Agreeable	IS 3025 (Part 5): 1983, RA 2006
3.	Turbidity	N.T.U.	<0.1	Max. 1	IS 3025 (Part 10): 1983, RA 2006
4.	pH	-	7.6	6.5-8.5	IS 3025 (Part II): 1983, RA 2006
5.	Suspended Solids	mg/L	<5	-	IS 3025 (Part 17): 1984, RA 2006, Amds.1
6.	Total Dissolved Solids	mg/L	1608	Max. 500	IS 3025 (Part 16): 1984, RA 2006, Ed. 2.1 (1999-12)
7.	Dissolved Oxygen	mg/L	6.5	-	IS 3025 (Part 38): 1989, RA 2009
8.	Alkalinity (as CaCO ₃)	mg/L	300	Max. 200	IS 3025 (Part 23): 1986, RA 2009, Amds.1
9.	Total Hardness (as CaCO ₃)	mg/L	1110	Max. 200	IS 3025 (Part 21): 1983, RA 2006
10.	Calcium (as Ca)	mg/L	286	Max. 75	IS 3025 (Part 40): 1991, RA 2009, Amds.1
11.	Magnesium (as Mg)	mg/L	96.2	Max. 30	IS 3025 (Part 46): 1994, RA 2009, Amds.2
12.	*Aluminium (as Al)	mg/L	<0.025	Max. 0.03	IS 3025 (Part 55): 2003, RA 2009
13.	*Arsenic (as As)	mg/L	<0.005	Max. 0.01	IS 3025 (Part 2): 2004

Page 1 of 2

Report No. 0050 cont...

Sr. No.	Parameter	Unit	Result	Acceptable Limit for Drinking Water as per IS 10500:2012	Method Reference
14.	*Cadmium (as Cd)	mg/L	<0.002	Max. 0.003	IS 3025 (Part 2): 2004
15.	*Chromium (as Cr)	mg/L	<0.02	Max. 0.05	IS 3025 (Part 2): 2004
16.	*Copper (as Cu)	mg/L	<0.02	Max. 0.05	IS 3025 (Part 2): 2004
17.	Iron (as Fe)	mg/L	<0.08	Max. 0.3	APHA 22 nd Ed. 2012, 3111-B, 3-18
18.	*Lead (as Pb)	mg/L	<0.008	Max. 0.01	IS 3025 (Part 2): 2004
19.	*Manganese (as Mn)	mg/L	<0.02	Max. 0.1	IS 3025 (Part 2): 2004
20.	*Mercury (as Hg)	mg/L	<0.0008	Max. 0.001	IS 3025 (Part 2): 2004
21.	*Selenium (as Se)	mg/L	<0.005	Max. 0.01	IS 3025 (Part 2): 2004
22.	*Zinc (as Zn)	mg/L	<0.05	Max. 5	IS 3025 (Part 2): 2004
23.	Boron (as B)	mg/L	5.83	Max. 0.5	APHA 22 nd Ed. 2012, 4500-B-B, 4-25
24.	Chloride (as Cl)	mg/L	435	Max. 250	IS 3025 (Part 32): 1988, Reaffirmed 2009
25.	Sulphate (as SO ₄)	mg/L	522	Max. 200	IS 3025 (Part 24): 1986, Reaffirmed 2009
26.	Fluoride (as F)	mg/L	0.26	Max. 1	APHA 22 nd Ed. 2012, 4500-F-, D, 4-87
27.	Nitrate (as NO ₃)	mg/L	81.0	Max. 45	APHA 22 nd Ed. 2012, 4500-NO ₃ , B -4-122
28.	*Cyanide (as CN)	mg/L	<0.001	Max. 0.05	APHA 22 nd Ed. 2012, 4500-CN, C & E, 4-39 & 4-44
29.	*Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	<0.001	Max. 0.001	APHA 22 nd Ed. 2012, 5530-B & C, 5-44 & 5-47
30.	*Mineral Oil	mg/L	<0.005	Max. 0.5	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1

Remarks: The tests marked with an * are not accredited by NABL

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


Harish Mendhi
TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Soil Sample Analysis Report

Report No. : ME-NS0044-150622-SA-RNPL-NASHIK		Date: 22.06.2015	
Name and Address of Customer	RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik.		Order Reference
			Your Work Order No. 3520000054 Dt. 18.11.2011 Amendment: 1 Dt.16.01.2014
Sample Description/Type	Soil	Sample Collected by	Laboratory
Sampling Location	Musalgaon	Sample Quantity/Packing	1 kg X 1 No. Plastic Bag
Date of Sampling	16.06.2015	Date of Receipt of Sample	16.06.2015
Date of Start of Analysis	17.06.2015	Date of Completion of Analysis	20.06.2015

Sr. No.	Parameter	Unit	Result	Method Reference
1.	Texture	-	Sandy	WLII Sec. B4, Page No. 7
2.	Moisture	%	2.97	WLII Sec. B2, Page No. 6
3.	pH (1:5 Suspension)	-	8.7	WLII Sec. B4, Page No. 9
4.	Electrical Conductivity (1:5 Suspension at 25°C)	mmho/cm	0.151	WLII Sec. B5, Page No. 9
5.	Organic Carbon	%	0.331	WLII Sec. B7, Page No. 10
6.	Available Nitrogen (as N)	kg/ha	223	FAO Sec. III.11, Page No. 145
7.	Available Phosphorus (as P)	kg/ha	45.6	FAO Sec. III.12-1, Page No.157
8.	Available Potassium (as K)	kg/ha	367	FAO Sec. III.8-1, Page No. 115
9.	Available Magnesium	mg/kg	60.9	FAO Sec. III.8-1, Page No. 115
10.	Available Calcium	mg/kg	361	FAO Sec. III.8-1, Page No. 115
11.	Cation Exchange Capacity	meq/100g	32.6	FAO Sec. III.7-2, Page No. 104

Remarks:

Note- All results are on air dry basis.

WLII- Wildlife Institute of India.

FAO- Food & Agriculture Organization, United Nations.

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


Harish Mendhi
TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.

Page 1 of 1

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagpur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Soil Sample Analysis Report

Report No. : ME-NS0045-150622-SA-RNPL-NASHIK		Date: 22.06.2015	
Name and Address of Customer	RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik.		Order Reference
			Your Work Order No. 3520000054 Dt. 18.11.2011 Amendment: 1 Dt.16.01.2014
Sample Description/Type	Soil	Sample Collected by	Laboratory
Sampling Location	Kedarpur	Sample Quantity/Packing	1 kg X 1 No. Plastic Bag
Date of Sampling	16.06.2015	Date of Receipt of Sample	16.06.2015
Date of Start of Analysis	17.06.2015	Date of Completion of Analysis	20.06.2015

Sr. No.	Parameter	Unit	Result	Method Reference
1.	Texture	-	Sandy	WLII Sec. B4, Page No. 7
2.	Moisture	%	3.27	WLII Sec. B2, Page No. 6
3.	pH (1:5 Suspension)	-	8.5	WLII Sec. B4, Page No. 9
4.	Electrical Conductivity (1:5 Suspension at 25°C)	mmho/cm	0.327	WLII Sec. B5, Page No. 9
5.	Organic Carbon	%	0.72	WLII Sec. B7, Page No. 10
6.	Available Nitrogen (as N)	kg/ha	191	FAO Sec. III.11, Page No. 145
7.	Available Phosphorus (as P)	kg/ha	51.8	FAO Sec. III.12-1, Page No.157
8.	Available Potassium (as K)	kg/ha	282	FAO Sec. III.8-1, Page No. 115
9.	Available Magnesium	mg/kg	36.5	FAO Sec. III.8-1, Page No. 115
10.	Available Calcium	mg/kg	441	FAO Sec. III.8-1, Page No. 115
11.	Cation Exchange Capacity	meq/100g	48.7	FAO Sec. III.7-2, Page No. 104

Remarks:


Note- All results are on air dry basis.

WLII- Wildlife Institute of India.

FAO- Food & Agriculture Organization, United Nations.

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


Harish Mendhi
TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.

Page 1 of 1

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Soil Sample Analysis Report

Report No. : ME-NS0046-150622-SA-RNPL-NASHIK		Date: 22.06.2015	
Name and Address of Customer	RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik.		Order Reference
			Your Work Order No. 3520000054 Dt. 18.11.2011 Amendment: 1 Dt.16.01.2014
Sample Description/Type	Soil	Sample Collected by	Laboratory
Sampling Location	Gulvanch	Sample Quantity/Packing	1 kg X 1 No. Plastic Bag
Date of Sampling	16.06.2015	Date of Receipt of Sample	16.06.2015
Date of Start of Analysis	17.06.2015	Date of Completion of Analysis	20.06.2015

Sr. No.	Parameter	Unit	Result	Method Reference
1.	Texture	-	Sandy	WLII Sec. B4, Page No. 7
2.	Moisture	%	3.72	WLII Sec. B2, Page No. 6
3.	pH (1:5 Suspension)	-	8.7	WLII Sec. B4, Page No. 9
4.	Electrical Conductivity (1:5 Suspension at 25°C)	mmho/cm	0.257	WLII Sec. B5, Page No. 9
5.	Organic Carbon	%	0.43	WLII Sec. B7, Page No. 10
6.	Available Nitrogen (as N)	kg/ha	204	FAO Sec. III.11, Page No. 145
7.	Available Phosphorus (as P)	kg/ha	31.8	FAO Sec. III.12-1, Page No.157
8.	Available Potassium (as K)	kg/ha	445	FAO Sec. III.8-1, Page No. 115
9.	Available Magnesium	mg/kg	24.3	FAO Sec. III.8-1, Page No. 115
10.	Available Calcium	mg/kg	300	FAO Sec. III.8-1, Page No. 115
11.	Cation Exchange Capacity	meq/100g	42.6	FAO Sec. III.7-2, Page No. 104

Remarks:

Note- All results are on air dry basis.

WLII- Wildlife Institute of India.

FAO- Food & Agriculture Organization, United Nations.

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Harish Mendhi

TECHNICAL MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Noise Monitoring Report

Name and Address of Customer	RattanIndia Nasik Power Ltd. (formerly known as Indiabulls Realtech Ltd.), A-1 Additional MIDC Musalgaon, Tal- Sinnar, Dist- Nasik.
Date of Sampling – 15.06.2015 to 16.06.2015	

Sr. No.	Location	Time	Sound Level dB(A) Fast Response
1.	Near Weigh Bridge	12.00 h	71
		2.00 h	59
2.	Near RNPL Office	12.30 h	69
		2.30 h	58
3.	Near Boiler House	13.00 h	74
		3.00 h	60
Noise Level Standard			
Area Code	Area Type	Limit in dB(A) weighted scale	
		Day	Night
A	Industrial	75	70

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.



Harish Mendhi

TECHNICAL MANAGER

Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.