



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Ambient Air Quality Monitoring Report

Report No.: ME-NG13751-201031-SA-RIPL-AMRAVATI		Date: 31.10.2020	
Name and address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ambient Air Quality Monitoring	Sample Collected by	Laboratory
Sampling Location	1) Village Kapustalani 2) Village Dawargaon 3) Village Wagholi	Sample Quantity/Packing	Filter Paper (PM ₁₀): 3 X 4 No. Filter Paper (PM _{2.5}): 1 X 4 No. SO ₂ : 30mL X24 No. PVC Bottle NO ₂ : 30mL X24 No. PVC Bottle NH ₃ : 10 mL X96 No. PVC Bottle O ₃ : 10 mL X 96 No. PVC Bottle 3 X 8 No. Charcoal Tubes 3 X 4 No. Gas Bladder
Date of Sampling	19.10.2020 to 20.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	As per Method reference		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Parameter		Unit	Result	#NAAQM Standard	Method Reference
Location	1) Village Kapustalani				Duration of Survey: 24 hours
Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Ambient Air)					
Sulphur Dioxide (SO ₂)	µg/m ³	12.3	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1-6	
Nitrogen Dioxide (NO ₂)	µg/m ³	13.3	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7-10	
Particulate Matter (size less than 10µm) or PM ₁₀	µg/m ³	57	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11-14	
Particulate Matter (size less than 2.5µm) or PM _{2.5}	µg/m ³	23	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.15-30	
Ozone (O ₃)	µg/m ³	<19.6	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.31-34	
Lead (as Pb)	µg/m ³	<0.02	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55	

Page 1 of 3

QF/SALE/03/Issue No 03 Dt 05.12.2019,Amd 01 Dt 01.03.2020

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR- TC748720000013178F

Report No.13751 Cont...

Parameter	Unit	Result	#NAAQM Standard	Method Reference
Carbon Monoxide (CO)	mg/m ³	0.86	4.0	IS 5182 (Part 10):1999 RA 2003
Ammonia (NH ₃)	µg/m ³	24.5	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.35-39
Benzene (C ₆ H ₆)	µg/m ³	1.08	5.0	IS 5182 (Part 11): 2006
Benzo (a) Pyrene (Particulate phase only)	ng/m ³	<0.5	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.40-47
Arsenic (as As)	ng/m ³	<0.3	6.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Nickel (as Ni)	ng/m ³	<3	20.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Location	2) Village Dawargaon			Duration of Survey: 24 hours
Sulphur Dioxide (SO ₂)	µg/m ³	7.2	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1-6
Nitrogen Dioxide (NO ₂)	µg/m ³	11.2	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7-10
Particulate Matter (size less than 10µm) or PM ₁₀	µg/m ³	49	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11-14
Particulate Matter (size less than 2.5µm) or PM _{2.5}	µg/m ³	14	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.15-30
Ozone (O ₃)	µg/m ³	<19.6	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.31-34
Lead (as Pb)	µg/m ³	<0.02	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Carbon Monoxide (CO)	mg/m ³	0.88	4.0	IS 5182 (Part 10):1999 RA 2003
Ammonia (NH ₃)	µg/m ³	23.5	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.35-39
Benzene (C ₆ H ₆)	µg/m ³	1.05	5.0	IS 5182 (Part 11): 2006
Benzo(a)Pyrene (Particulate phase only)	ng/m ³	<0.5	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.40-47
Arsenic (as As)	ng/m ³	<0.3	6.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Nickel (as Ni)	ng/m ³	<3	20.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55

ULR- TC748720000013178F



Report No.13751 Cont...

Parameter	Unit	Result	#NAAQM Standard	Method Reference
Location	3) Village Wagholi			Duration of Survey: 24 hours
Sulphur Dioxide (SO ₂)	µg/m ³	6.1	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1-6
Nitrogen Dioxide (NO ₂)	µg/m ³	10.5	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7-10
Particulate Matter (size less than 10µm) or PM ₁₀	µg/m ³	64	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11-14
Particulate Matter (size less than 2.5µm) or PM _{2.5}	µg/m ³	25	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.15-30
Ozone (O ₃)	µg/m ³	<19.6	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.31-34
Lead (as Pb)	µg/m ³	<0.02	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Carbon Monoxide (CO)	mg/m ³	0.99	4.0	IS 5182 (Part 10): 1999 RA 2003
Ammonia (NH ₃)	µg/m ³	21.7	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.35-39
Benzene (C ₆ H ₆)	µg/m ³	1.07	5.0	IS 5182 (Part 11): 2006
Benzo(a)Pyrene (Particulate phase only)	ng/m ³	<0.5	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.40-47
Arsenic (as As)	ng/m ³	<0.3	6.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Nickel (as Ni)	ng/m ³	3.8	20.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Remarks: TWA - Time Weighted Average., #- NAAQS specified as: 24h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM ₁₀ , PM _{2.5} , Lead and Ammonia; 1h. TWA in case of Carbon Monoxide and Ozone; Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel..				

-END-

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.



Kishor C. Yeole

BRANCH MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Certificate Number TC-7487

Page 3 of 3

QF/SALE/03/Issue No 03 Dt 05.12.2019,Amd 01 Dt 01.03.2020

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
 (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR- TC748720000013178F



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Ambient Air Quality Monitoring Report

Report No.: ME-NG14253-201107-SA-RIPL-AMRAVATI		Date: 07.11.2020	
Name and address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901.		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ambient Air Quality Monitoring	Sample Collected by	Laboratory
Sampling Location	1) Near Site Office 2) Terrace of WTP Plant 3) Terrace of Bachelor Guest House	Sample Quantity/Packing	Filter Paper (PM ₁₀): 3 X 3 No. Filter Paper (PM _{2.5}): 1 X 3 No. SO ₂ : 30mL X18 No. PVC Bottle NO ₂ : 30mL X18 No. PVC Bottle NH ₃ : 10 mL X72 No. PVC Bottle O ₃ : 10 mL X 72 No. PVC Bottle 3 X 6 No. Charcoal Tubes 3 X 3 No. Gas Bladder
Date of Sampling	28.10.2020 to 29.10.2020	Date of Receipt of Sample	29.10.2020
Sampling Procedure	As per Method reference		
Date of Start of Analysis	29.10.2020	Date of Receipt of Sample	07.11.2020

Parameter		Unit	Result	#NAAQM Standard	Method Reference
Location	1) Near Site Office				Duration of Survey: 24 hours
Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Ambient Air)					
Sulphur Dioxide (SO ₂)		µg/m ³	12.3	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1-6
Nitrogen Dioxide (NO ₂)		µg/m ³	16.2	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7-10
Particulate Matter (size less than 10µm) or PM ₁₀		µg/m ³	62	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11-14
Particulate Matter (size less than 2.5µm) or PM _{2.5}		µg/m ³	24	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.15-30
Ozone (O ₃)		µg/m ³	<19.6	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.31-34
Lead (as Pb)		µg/m ³	<0.02	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55

Page 1 of 3

QF/SALE/03/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR-TC748720000013668F



Report No.14253 Cont...

Parameter	Unit	Result	#NAAQM Standard	Method Reference
Carbon Monoxide (CO)	mg/m ³	0.82	4.0	IS 5182 (Part 10):1999 RA 2003
Ammonia (NH ₃)	µg/m ³	29.5	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.35-39
Benzene (C ₆ H ₆)	µg/m ³	1.07	5.0	IS 5182 (Part 11): 2006
Benzo (a) Pyrene (Particulate phase only)	ng/m ³	<0.5	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.40-47
Arsenic (as As)	ng/m ³	<0.3	6.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Nickel (as Ni)	ng/m ³	<3.0	20.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Location	2) Terrace of WTP Plant			Duration of Survey: 24 hours
Sulphur Dioxide (SO ₂)	µg/m ³	11.3	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1-6
Nitrogen Dioxide (NO ₂)	µg/m ³	13.3	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7-10
Particulate Matter (size less than 10µm) or PM ₁₀	µg/m ³	61	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11-14
Particulate Matter (size less than 2.5µm) or PM _{2.5}	µg/m ³	16	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.15-30
Ozone (O ₃)	µg/m ³	<19.6	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.31-34
Lead (as Pb)	µg/m ³	<0.02	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Carbon Monoxide (CO)	mg/m ³	1.03	4.0	IS 5182 (Part 10):1999 RA 2003
Ammonia (NH ₃)	µg/m ³	21.7	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.35-39
Benzene (C ₆ H ₆)	µg/m ³	1.04	5.0	IS 5182 (Part 11): 2006
Benzo(a)Pyrene (Particulate phase only)	ng/m ³	<0.5	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.40-47
Arsenic (as As)	ng/m ³	<0.3	6.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Nickel (as Ni)	ng/m ³	4.12	20.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55

ULR-TC748720000013668F



Report No.14253 Cont...

Parameter	Unit	Result	#NAAQM Standard	Method Reference
Location	3) Terrace of Bachelor Guest House			Duration of Survey: 24 hours
Sulphur Dioxide (SO ₂)	µg/m ³	15.4	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.1-6
Nitrogen Dioxide (NO ₂)	µg/m ³	16.9	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.7-10
Particulate Matter (size less than 10µm) or PM ₁₀	µg/m ³	62	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.11-14
Particulate Matter (size less than 2.5µm) or PM _{2.5}	µg/m ³	20	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.15-30
Ozone (O ₃)	µg/m ³	<19.6	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.31-34
Lead (as Pb)	µg/m ³	<0.02	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Carbon Monoxide (CO)	mg/m ³	0.89	4.0	IS 5182 (Part 10): 1999 RA 2003
Ammonia (NH ₃)	µg/m ³	<20	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.35-39
Benzene (C ₆ H ₆)	µg/m ³	1.11	5.0	IS 5182 (Part 11): 2006
Benzo(a)PyreneParticulate phase only)	ng/m ³	<0.5	1.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.40-47
Arsenic (as As)	ng/m ³	0.301	6.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Nickel (as Ni)	ng/m ³	<3	20.0	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13, Page No.48-55
Remarks: TWA - Time Weighted Average., #- NAAQS specified as: 24h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM ₁₀ , PM _{2.5} , Lead and Ammonia; 1h. TWA in case of Carbon Monoxide and Ozone; Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.				

-END-

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C.Yeole

BRANCH MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.



Certificate Number TC-7487

Page 3 of 3

QF/SALE/03/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
 (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR-TC748720000013668F



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13762-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901.		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well water of Mr.Narayan Lomte Farm back side of Ash Dyke Area	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1	Colour	Hazen	<1	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 2120-B, 2-6
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5):1984, Reaffirmed 2006
3	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 7 & 8):1984, Reaffirmed 2006
4	Turbidity	NTU	1.0	1 Max.	5 Max.	APHA 23 rd Ed. 2017, 2130-B, 2-13
5	pH	-	8.1	6.5 to 8.5	No relaxation	APHA 23 rd Ed. 2017, 4500-H ⁺ -B, 4-95
6	Residual Free Chlorine	mg/L	<0.05	0.2 Min.	1.0 Max.	APHA 23 rd Ed. 2017, 4500-Cl G, 4-72
7	Total Dissolved Solids	mg/L	569	500 Max.	2000 Max.	IS 3025 (Part 16): 1984 RA 2006, Ed.2.1(1999-12)
8	Total Suspended Solids	mg/L	<5	-	-	APHA 23 rd Ed. 2017, 2540-D, 2-69
9	Alkalinity Total (as CaCO ₃)	mg/L	304	200 Max.	600 Max.	IS 3025 (Part 23): 1986 Reaffirmed 2009 Amds 1
10	Total Hardness (as CaCO ₃)	mg/L	312	200 Max.	600 Max.	APHA 23 rd Ed. 2017, 2340-C, 2-48
11	Chloride (as Cl)	mg/L	28.0	250 Max.	1000 Max.	APHA 23 rd Ed. 2017, 4500-Cl-B, 4-75

Page 1 of 2

QF/SALE/02/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR- TC748720000013189F



Report No. 13762 cont...

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
12	Sulphate (as SO ₄)	mg/L	75.8	200 Max.	400 Max.	APHA 23 rd Ed. 2017, 4500-SO ₄ -E, 4-199
13	Nitrate (as NO ₃)	mg/L	43.8	45 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-NO ₃ , E 4-131
14	Calcium (as Ca)	mg/L	81.0	75 Max.	200 Max.	APHA 23 rd Ed. 2017, 3500-Ca-B, 3-69
15	Magnesium (as Mg)	mg/L	26.7	30 Max.	100 Max.	APHA 23 rd Ed. 2017, 3500-Mg- B, 3-86
16	Fluoride (as F)	mg/L	0.423	1 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 4500-F, D, 4-90
17	Boron (as B)	mg/L	<0.1	0.5 Max.	2.4 Max.	APHA 23 rd Ed. 2017, 4500-B B, 4-27
18	Dissolved Oxygen	mg/L	6.3	-	-	APHA 23 rd Ed. 2017, 4500-O, B & C, 4-144, 4-146
Residues in water (Trace metal Element)						
19	Iron (as Fe)	mg/L	0.191	0.3 Max.	No relaxation.	APHA 23 rd Ed. 2017, 3111-B, 3-20
20	Manganese (as Mn)	mg/L	N.D.	0.1 Max.	0.3 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20 AAS Method
21	Aluminium (as Al)	mg/L	<0.025	0.03 Max.	0.2 Max.	APHA 23 rd Ed. 2017, 3500-Al-B, 3-63
22	Cadmium (as Cd)	mg/L	N.D.	0.003Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
23	Chromium Total (as Cr)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
24	Copper (as Cu)	mg/L	N.D.	0.05 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
25	Lead (as Pb)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
26	Zinc (as Zn)	mg/L	0.018	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
27	Arsenic (as As)	mg/L	N.D.	0.01 Max.	No relaxation	IS 3025 (Part 37), 1988 RA 2009
28	Mercury (as Hg)	mg/L	N.D.	0.001Max.	No relaxation	APHA 23 rd Ed. 2017, 3112-B, 3-25
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C. Yeole

BRANCH MANAGER



Certificate Number TC-7487

Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.

Page 2 of 2

QF/SALE/02/Issue No 03 Dt 05.12.2019, Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
 (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR- TC748720000013189F



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist. Nagapur-441111

Phone : 91-712-2612162, 2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13762-201030-SA-RIPL-AMRAVATI		Date: 30.10.2020	
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901.	Order Reference:	
		SO No. 3382017462 Dt.16.08.2019	
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well water of Mr.Narayan Lomte Farm back side of Ash Dyke Area	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can 1L X 1 No. Glass Bottle
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1.	Oil and Grease	mg/L	N.D.	-	-	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1
2.	Cyanide (as CN)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-CN, C & E, 4-44 & 4-46
3.	Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	N.D.	0.001 Max.	0.002 Max.	APHA 23 rd Ed. 2017, 5530- B & C, 5-49, 5-50
Residues in water (Trace metal Element)						
4.	Selenium (as Se)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3500-C, 3-95
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C. Yeole

BRANCH MANAGER



Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.

Page 1 of 1

QF/SALE/02/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13763-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Borewell water of Digargaon	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can
Date of Sampling	19.10.2020	Date of Receipt of Sample	20.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	20.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1	Colour	Hazen	<1	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 2120-B, 2-6
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5):1984, Reaffirmed 2006
3	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 7 & 8):1984, Reaffirmed 2006
4	Turbidity	NTU	1.3	1 Max.	5 Max.	APHA 23 rd Ed. 2017, 2130-B, 2-13
5	pH	-	8.3	6.5 to 8.5	No relaxation	APHA 23 rd Ed. 2017, 4500-H ⁺ -B, 4-95
6	Residual Free Chlorine	mg/L	<0.05	0.2 Min.	1.0 Max.	APHA 23 rd Ed. 2017, 4500-Cl G, 4-72
7	Total Dissolved Solids	mg/L	750	500 Max.	2000 Max.	IS 3025 (Part 16): 1984 RA 2006, Ed.2.1(1999-12)
8	Total Suspended Solids	mg/L	8	-	-	APHA 23 rd Ed. 2017, 2540-D, 2-69
9	Alkalinity Total (as CaCO ₃)	mg/L	392	200 Max.	600 Max.	IS 3025 (Part 23): 1986 Reaffirmed 2009 Amds 1
10	Total Hardness (as CaCO ₃)	mg/L	500	200 Max.	600 Max.	APHA 23 rd Ed. 2017, 2340-C, 2-48
11	Chloride (as Cl)	mg/L	111	250 Max.	1000 Max.	APHA 23 rd Ed. 2017, 4500-Cl-B, 4-75

ULR- TC748720000013190F



Report No. 13763 cont...

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
12	Sulphate (as SO ₄)	mg/L	80	200 Max.	400 Max.	APHA 23 rd Ed. 1977, 4500-SO ₄ -E, 4-199
13	Nitrate (as NO ₃)	mg/L	44.5	45 Max.	No relaxation	APHA 23 rd Ed. 1977, 4500-NO ₃ , E 4-131
14	Calcium (as Ca)	mg/L	107	75 Max.	200 Max.	APHA 23 rd Ed. 1977, 3500-Ca-B, 3-69
15	Magnesium (as Mg)	mg/L	56.9	30 Max.	100 Max.	APHA 23 rd Ed. 1977, 3500-Mg- B, 3-86
16	Fluoride (as F)	mg/L	0.396	1 Max.	1.5 Max.	APHA 23 rd Ed. 1977, 4500-F, D, 4-90
17	Boron (as B)	mg/L	<0.1	0.5 Max.	2.4 Max.	APHA 23 rd Ed. 1977, 4500-B B, 4-27
18	Dissolved Oxygen	mg/L	5.9	-	-	APHA 23 rd Ed. 1977, 4500-O, B & C, 4-144, 4-146
Residues in water (Trace metal Element)						
19	Iron (as Fe)	mg/L	0.162	0.3 Max.	No relaxation.	APHA 23 rd Ed. 1977, 3111-B, 3-20
20	Manganese (as Mn)	mg/L	N.D.	0.1 Max.	0.3 Max.	APHA 23 rd Ed. 1977, 3111-B, 3-20 AAS Method
21	Aluminium (as Al)	mg/L	<0.025	0.03 Max.	0.2 Max.	APHA 23 rd Ed. 1977, 3500-Al-B, 3-63
22	Cadmium (as Cd)	mg/L	N.D.	0.003Max.	No relaxation	APHA 23 rd Ed. 1977, 3111-B, 3-20
23	Chromium Total (as Cr)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 1977, 3111-B, 3-20
24	Copper (as Cu)	mg/L	N.D.	0.05 Max.	1.5 Max.	APHA 23 rd Ed. 1977, 3111-B, 3-20
25	Lead (as Pb)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 1977, 3111-B, 3-20
26	Zinc (as Zn)	mg/L	0.042	5 Max.	15 Max.	APHA 23 rd Ed. 1977, 3111-B, 3-20
27	Arsenic (as As)	mg/L	N.D.	0.01 Max.	No relaxation	IS 3025 (Part 37), 1988 RA 2009
28	Mercury (as Hg)	mg/L	N.D.	0.001Max.	No relaxation	APHA 23 rd Ed. 1977, 3112-B, 3-25
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C. Yeole

BRANCH MANAGER



Certificate Number TC-7487

Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.

Page 2 of 2

QF/SALE/02/Issue No 03 Dt 05.12.2019, And 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
 (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR- TC7487200000013190F



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist. Nagpur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13761-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well Water Rasalpur Village	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1	Colour	Hazen	<1	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 2120-B, 2-6
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5):1984, Reaffirmed 2006
3	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 7 & 8):1984, Reaffirmed 2006
4	Turbidity	NTU	1.0	1 Max.	5 Max.	APHA 23 rd Ed. 2017, 2130-B, 2-13
5	pH	-	8.2	6.5 to 8.5	No relaxation	APHA 23 rd Ed. 2017, 4500-H ⁺ -B, 4-95
6	Residual Free Chlorine	mg/L	<0.05	0.2 Min.	1.0 Max.	APHA 23 rd Ed. 2017, 4500-Cl G, 4-72
7	Total Dissolved Solids	mg/L	435	500 Max.	2000 Max.	IS 3025 (Part 16):1984 RA 2006, Ed.2.1(1999-12)
8	Total Suspended Solids	mg/L	8	-	-	APHA 23 rd Ed. 2017, 2540-D, 2-69
9	Alkalinity Total (as CaCO ₃)	mg/L	410	200 Max.	600 Max.	IS 3025 (Part 23):1986 Reaffirmed 2009 Amds 1
10	Total Hardness (as CaCO ₃)	mg/L	328	200 Max.	600 Max.	APHA 23 rd Ed. 2017, 2340-C, 2-48
11	Chloride (as Cl)	mg/L	12.0	250 Max.	1000 Max.	APHA 23 rd Ed. 2017, 4500-Cl-B, 4-75

ULR- TC748720000013188F



Report No. 13761 cont...

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
12	Sulphate (as SO ₄)	mg/L	15.3	200 Max.	400 Max.	APHA 23 rd Ed. 2017, 4500-SO ₄ -E, 4-199
13	Nitrate (as NO ₃)	mg/L	40.7	45 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-NO ₃ , E 4-131
14	Calcium (as Ca)	mg/L	88.8	75 Max.	200 Max.	APHA 23 rd Ed. 2017, 3500-Ca-B, 3-69
15	Magnesium (as Mg)	mg/L	25.3	30 Max.	100 Max.	APHA 23 rd Ed. 2017, 3500-Mg- B, 3-86
16	Fluoride (as F)	mg/L	0.405	1 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 4500-F, D, 4-90
17	Boron (as B)	mg/L	<0.1	0.5 Max.	2.4 Max.	APHA 23 rd Ed. 2017, 4500-B B, 4-27
18	Dissolved Oxygen	mg/L	5.6	-	-	APHA 23 rd Ed. 2017, 4500-O, B & C, 4-144, 4-146
Residues in water (Trace metal Element)						
19	Iron (as Fe)	mg/L	0.172	0.3 Max.	No relaxation.	APHA 23 rd Ed. 2017, 3111-B, 3-20
20	Manganese (as Mn)	mg/L	<0.04	0.1 Max.	0.3 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20 AAS Method
21	Aluminium (as Al)	mg/L	<0.025	0.03 Max.	0.2 Max.	APHA 23 rd Ed. 2017, 3500-Al-B, 3-63
22	Cadmium (as Cd)	mg/L	N.D.	0.003Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
23	Chromium Total (as Cr)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
24	Copper (as Cu)	mg/L	N.D.	0.05 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
25	Lead (as Pb)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
26	Zinc (as Zn)	mg/L	0.038	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
27	Arsenic (as As)	mg/L	N.D.	0.01 Max.	No relaxation	IS 3025 (Part 37), 1988 RA 2009
28	Mercury (as Hg)	mg/L	N.D.	0.001Max.	No relaxation	APHA 23 rd Ed. 2017, 3112-B, 3-25
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C. Yeole

BRANCH MANAGER



Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.



Certificate Number TC-7487

Page 2 of 2

QF/SALE/02/Issue No 03 Dt 05.12.2019, Amd 00 Dt 00



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13760-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well water of Talkhanda	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can
Date of Sampling	19.10.2020	Date of Receipt of Sample	20.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	20.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1	Colour	Hazen	<1	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 2120-B, 2-6
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5):1984, Reaffirmed 2006
3	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 7 & 8):1984, Reaffirmed 2006
4	Turbidity	NTU	1.4	1 Max.	5 Max.	APHA 23 rd Ed. 2017, 2130-B, 2-13
5	pH	-	8.0	6.5 to 8.5	No relaxation	APHA 23 rd Ed. 2017, 4500-H ⁺ -B, 4-95
6	Residual Free Chlorine	mg/L	<0.05	0.2 Min.	1.0 Max.	APHA 23 rd Ed. 2017, 4500-Cl G, 4-72
7	Total Dissolved Solids	mg/L	520	500 Max.	2000 Max.	IS 3025 (Part 16):1984 RA 2006, Ed.2.1(1999-12)
8	Total Suspended Solids	mg/L	<5	-	-	APHA 23 rd Ed. 2017, 2540-D, 2-69
9	Alkalinity Total (as CaCO ₃)	mg/L	310	200 Max.	600 Max.	IS 3025 (Part 23):1986 Reaffirmed 2009 Amds 1
10	Total Hardness (as CaCO ₃)	mg/L	308	200 Max.	600 Max.	APHA 23 rd Ed. 2017, 2340-C, 2-48
11	Chloride (as Cl)	mg/L	29.0	250 Max.	1000 Max.	APHA 23 rd Ed. 2017, 4500-Cl-B, 4-75

Page 1 of 2

QF/SALE/02/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR- TC748720000013187F



Report No.13760 cont...

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
12	Sulphate (as SO ₄)	mg/L	71.5	200 Max.	400 Max.	APHA 23 rd Ed. 2017, 4500-SO ₄ -E, 4-199
13	Nitrate (as NO ₃)	mg/L	43.2	45 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-NO ₃ , E 4-131
14	Calcium (as Ca)	mg/L	71.3	75 Max.	200 Max.	APHA 23 rd Ed. 2017, 3500-Ca-B, 3-69
15	Magnesium (as Mg)	mg/L	31.6	30 Max.	100 Max.	APHA 23 rd Ed. 2017, 3500-Mg- B, 3-86
16	Fluoride (as F)	mg/L	0.378	1 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 4500-F, D, 4-90
17	Boron (as B)	mg/L	<0.1	0.5 Max.	2.4 Max.	APHA 23 rd Ed. 2017, 4500-B B, 4-27
18	Dissolved Oxygen	mg/L	6.2	-	-	APHA 23 rd Ed. 2017, 4500-O, B & C, 4-144, 4-146
Residues in water (Trace metal Element)						
19	Iron (as Fe)	mg/L	0.162	0.3 Max.	No relaxation.	APHA 23 rd Ed. 2017, 3111-B, 3-20
20	Manganese (as Mn)	mg/L	N.D.	0.1 Max.	0.3 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20 AAS Method
21	Aluminium (as Al)	mg/L	<0.025	0.03 Max.	0.2 Max.	APHA 23 rd Ed. 2017, 3500-Al-B, 3-63
22	Cadmium (as Cd)	mg/L	N.D.	0.003Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
23	Chromium Total (as Cr)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
24	Copper (as Cu)	mg/L	N.D.	0.05 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
25	Lead (as Pb)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
26	Zinc (as Zn)	mg/L	0.042	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
27	Arsenic (as As)	mg/L	N.D.	0.01 Max.	No relaxation	IS 3025 (Part 37), 1988 RA 2009
28	Mercury (as Hg)	mg/L	N.D.	0.001Max.	No relaxation	APHA 23 rd Ed. 2017, 3112-B, 3-25
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C. Yeole

BRANCH MANAGER



Certificate Number TC-7487

Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13759-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well Water Pimpalvihirgaon Village	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1	Colour	Hazen	<1	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 2120-B, 2-6
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5):1984, Reaffirmed 2006
3	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 7 & 8):1984, Reaffirmed 2006
4	Turbidity	NTU	0.7	1 Max.	5 Max.	APHA 23 rd Ed. 2017, 2130-B, 2-13
5	pH	-	8.4	6.5 to 8.5	No relaxation	APHA 23 rd Ed. 2017, 4500-H ⁺ -B, 4-95
6	Residual Free Chlorine	mg/L	<0.05	0.2 Min.	1.0 Max.	APHA 23 rd Ed. 2017, 4500-Cl G, 4-72
7	Total Dissolved Solids	mg/L	415	500 Max.	2000 Max.	IS 3025 (Part 16): 1984 RA 2006, Ed.2.1(1999-12)
8	Total Suspended Solids	mg/L	8	-	-	APHA 23 rd Ed. 2017, 2540-D, 2-69
9	Alkalinity Total (as CaCO ₃)	mg/L	332	200 Max.	600 Max.	IS 3025 (Part 23): 1986 Reaffirmed 2009 Amds 1
10	Total Hardness (as CaCO ₃)	mg/L	264	200 Max.	600 Max.	APHA 23 rd Ed. 2017, 2340-C, 2-48
11	Chloride (as Cl)	mg/L	17.0	250 Max.	1000 Max.	APHA 23 rd Ed. 2017, 4500-Cl-B, 4-75



Report No. 13759 cont...

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
12	Sulphate (as SO ₄)	mg/L	21.4	200 Max.	400 Max.	APHA 23 rd Ed. 2017, 4500-SO ₄ -E, 4-199
13	Nitrate (as NO ₃)	mg/L	17.0	45 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-NO ₃ , E 4-131
14	Calcium (as Ca)	mg/L	54.5	75 Max.	200 Max.	APHA 23 rd Ed. 2017, 3500-Ca-B, 3-69
15	Magnesium (as Mg)	mg/L	31.1	30 Max.	100 Max.	APHA 23 rd Ed. 2017, 3500-Mg- B, 3-86
16	Fluoride (as F)	mg/L	0.441	1 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 4500-F, D, 4-90
17	Boron (as B)	mg/L	<0.1	0.5 Max.	2.4 Max.	APHA 23 rd Ed. 2017, 4500-B B, 4-27
18	Dissolved Oxygen	mg/L	6.0	-	-	APHA 23 rd Ed. 2017, 4500-O, B & C, 4-144, 4-146
Residues in water (Trace metal Element)						
19	Iron (as Fe)	mg/L	0.261	0.3 Max.	No relaxation.	APHA 23 rd Ed. 2017, 3111-B, 3-20
20	Manganese (as Mn)	mg/L	<0.04	0.1 Max.	0.3 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20 AAS Method
21	Aluminium (as Al)	mg/L	<0.025	0.03 Max.	0.2 Max.	APHA 23 rd Ed. 2017, 3500-Al-B, 3-63
22	Cadmium (as Cd)	mg/L	N.D.	0.003Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
23	Chromium Total (as Cr)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
24	Copper (as Cu)	mg/L	<0.04	0.05 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
25	Lead (as Pb)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
26	Zinc (as Zn)	mg/L	0.032	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
27	Arsenic (as As)	mg/L	N.D.	0.01 Max.	No relaxation	IS 3025 (Part 37), 1988 RA 2009
28	Mercury (as Hg)	mg/L	N.D.	0.001Max.	No relaxation	APHA 23 rd Ed. 2017, 3112-B, 3-25
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C. Yeole

BRANCH MANAGER



Certificate Number TC-7487

Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist. Nagpur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13758-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well water of Kapustalani	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1	Colour	Hazen	<1	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 2120-B, 2-6
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5):1984, Reaffirmed 2006
3	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 7 & 8):1984, Reaffirmed 2006
4	Turbidity	NTU	0.7	1 Max.	5 Max.	APHA 23 rd Ed. 2017, 2130-B, 2-13
5	pH	-	7.7	6.5 to 8.5	No relaxation	APHA 23 rd Ed. 2017, 4500-H ⁺ -B, 4-95
6	Residual Free Chlorine	mg/L	<0.05	0.2 Min.	1.0 Max.	APHA 23 rd Ed. 2017, 4500-Cl G, 4-72
7	Total Dissolved Solids	mg/L	560	500 Max.	2000 Max.	IS 3025 (Part 16):1984 RA 2006, Ed.2.1(1999-12)
8	Total Suspended Solids	mg/L	<5	-	-	APHA 23 rd Ed. 2017, 2540-D, 2-69
9	Alkalinity Total (as CaCO ₃)	mg/L	274	200 Max.	600 Max.	IS 3025 (Part 23):1986 Reaffirmed 2009 Amds 1
10	Total Hardness (as CaCO ₃)	mg/L	380	200 Max.	600 Max.	APHA 23 rd Ed. 2017, 2340-C, 2-48
11	Chloride (as Cl)	mg/L	91.0	250 Max.	1000 Max.	APHA 23 rd Ed. 2017, 4500-Cl-B, 4-75

ULR- TC748720000013185F



Report No. 13758 cont...

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
12	Sulphate (as SO ₄)	mg/L	79.5	200 Max.	400 Max.	APHA 23 rd Ed. 2017, 4500-SO ₄ -E, 4-199
13	Nitrate (as NO ₃)	mg/L	40.8	45 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-NO ₃ , E 4-131
14	Calcium (as Ca)	mg/L	77.0	75 Max.	200 Max.	APHA 23 rd Ed. 2017, 3500-Ca-B, 3-69
15	Magnesium (as Mg)	mg/L	45.7	30 Max.	100 Max.	APHA 23 rd Ed. 2017, 3500-Mg- B, 3-86
16	Fluoride (as F)	mg/L	0.414	1 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 4500-F, D, 4-90
17	Boron (as B)	mg/L	<0.1	0.5 Max.	2.4 Max.	APHA 23 rd Ed. 2017, 4500-B B, 4-27
18	Dissolved Oxygen	mg/L	5.6	-	-	APHA 23 rd Ed. 2017, 4500-O, B & C, 4-144, 4-146
Residues in water (Trace metal Element)						
19	Iron (as Fe)	mg/L	0.132	0.3 Max.	No relaxation.	APHA 23 rd Ed. 2017, 3111-B, 3-20
20	Manganese (as Mn)	mg/L	<0.04	0.1 Max.	0.3 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20 AAS Method
21	Aluminium (as Al)	mg/L	<0.025	0.03 Max.	0.2 Max.	APHA 23 rd Ed. 2017, 3500-Al-B, 3-63
22	Cadmium (as Cd)	mg/L	N.D.	0.003Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
23	Chromium Total (as Cr)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
24	Copper (as Cu)	mg/L	N.D.	0.05 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
25	Lead (as Pb)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
26	Zinc (as Zn)	mg/L	0.032	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
27	Arsenic (as As)	mg/L	N.D.	0.01 Max.	No relaxation	IS 3025 (Part 37), 1988 RA 2009
28	Mercury (as Hg)	mg/L	N.D.	0.001Max.	No relaxation	APHA 23 rd Ed. 2017, 3112-B, 3-25
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C. Yeole

BRANCH MANAGER



Certificate Number TC-7487

Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.

Page 2 of 2

QF/SALE/02/Issue No 03 Dt 05.12.2019, Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
 (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR- TC748720000013185F



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist. Nagpur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13757-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well water of Wagholi	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1	Colour	Hazen	<1	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 2120-B, 2-6
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5):1984, Reaffirmed 2006
3	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 7 & 8):1984, Reaffirmed 2006
4	Turbidity	NTU	1.2	1 Max.	5 Max.	APHA 23 rd Ed. 2017, 2130-B, 2-13
5	pH	-	7.6	6.5 to 8.5	No relaxation	APHA 23 rd Ed. 2017, 4500-H ⁺ -B, 4-95
6	Residual Free Chlorine	mg/L	<0.05	0.2 Min.	1.0 Max.	APHA 23 rd Ed. 2017, 4500-Cl G, 4-72
7	Total Dissolved Solids	mg/L	470	500 Max.	2000 Max.	IS 3025 (Part 16): 1984 RA 2006, Ed.2.1(1999-12)
8	Total Suspended Solids	mg/L	< 5	-	-	APHA 23 rd Ed. 2017, 2540-D, 2-69
9	Alkalinity Total (as CaCO ₃)	mg/L	144	200 Max.	600 Max.	IS 3025 (Part 23): 1986 Reaffirmed 2009 Amds 1
10	Total Hardness (as CaCO ₃)	mg/L	336	200 Max.	600 Max.	APHA 23 rd Ed. 2017, 2340-C, 2-48
11	Chloride (as Cl)	mg/L	56.0	250 Max.	1000 Max.	APHA 23 rd Ed. 2017, 4500-Cl-B, 4-75

Page 1 of 2

QF/SALE/02/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR- TC748720000013184F



Report No. 13757 cont...

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
12	Sulphate (as SO ₄)	mg/L	120	200 Max.	400 Max.	APHA 23 rd Ed. 2017, 4500-SO ₄ -E, 4-199
13	Nitrate (as NO ₃)	mg/L	34.2	45 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-NO ₃ , E 4-131
14	Calcium (as Ca)	mg/L	90.6	75 Max.	200 Max.	APHA 23 rd Ed. 2017, 3500-Ca-B, 3-69
15	Magnesium (as Mg)	mg/L	26.7	30 Max.	100 Max.	APHA 23 rd Ed. 2017, 3500-Mg- B, 3-86
16	Fluoride (as F)	mg/L	0.315	1 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 4500-F, D, 4-90
17	Boron (as B)	mg/L	<0.1	0.5 Max.	2.4 Max.	APHA 23 rd Ed. 2017, 4500-B B, 4-27
18	Dissolved Oxygen	mg/L	5.9	-	-	APHA 23 rd Ed. 2017, 4500-O, B & C, 4-144, 4-146
Residues in water (Trace metal Element)						
19	Iron (as Fe)	mg/L	0.241	0.3 Max.	No relaxation.	APHA 23 rd Ed. 2017, 3111-B, 3-20
20	Manganese (as Mn)	mg/L	N.D.	0.1 Max.	0.3 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20 AAS Method
21	Aluminium (as Al)	mg/L	<0.025	0.03 Max.	0.2 Max.	APHA 23 rd Ed. 2017, 3500-Al-B, 3-63
22	Cadmium (as Cd)	mg/L	N.D.	0.003Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
23	Chromium Total (as Cr)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
24	Copper (as Cu)	mg/L	N.D.	0.05 Max.	1.5 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
25	Lead (as Pb)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3111-B, 3-20
26	Zinc (as Zn)	mg/L	0.028	5 Max.	15 Max.	APHA 23 rd Ed. 2017, 3111-B, 3-20
27	Arsenic (as As)	mg/L	N.D.	0.01 Max.	No relaxation	IS 3025 (Part 37), 1988 RA 2009
28	Mercury (as Hg)	mg/L	N.D.	0.001Max.	No relaxation	APHA 23 rd Ed. 2017, 3112-B, 3-25
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C. Yeole

BRANCH MANAGER



Certificate Number TC-7487

Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.

Page 2 of 2

QF/SALE/02/Issue No 03 Dt 05.12.2019, Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
 (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR- TC7487200000013184F



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist. Nagpur-441111

Phone : 91-712-2612162, 2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13761-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901.		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well Water Rasalpur Village	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can 1L X 1 No. Glass Bottle
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1.	Oil and Grease	mg/L	N.D.	-	-	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1
2.	Cyanide (as CN)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-CN, C & E, 4-44 & 4-46
3.	Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	N.D.	0.001 Max.	0.002 Max.	APHA 23 rd Ed. 2017, 5530- B & C, 5-49, 5-50
Residues in water (Trace metal Element)						
4.	Selenium (as Se)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3500-C, 3-95
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C. Yeole

BRANCH MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.

Page 1 of 1

QF/SALE/02/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13759-201030-SA-RIPL-AMRAVATI		Date: 30.10.2020	
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901.	Order Reference:	
		SO No. 3382017462 Dt.16.08.2019	
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well Water Pimpalvihirgaon Village	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can 1L X 1 No. Glass Bottle
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1.	Oil and Grease	mg/L	N.D.	-	-	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1
2.	Cyanide (as CN)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-CN, C & E, 4-44 & 4-46
3.	Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	N.D.	0.001 Max.	0.002 Max.	APHA 23 rd Ed. 2017, 5530- B & C, 5-49, 5-50
Residues in water (Trace metal Element)						
4.	Selenium (as Se)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3500-C, 3-95
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


Kishor C. Yeole

BRANCH MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.

Page 1 of 1

QF/SALE/02/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13760-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901.		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well water of Talkhanda	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can 1L X 1 No. Glass Bottle
Date of Sampling	19.10.2020	Date of Receipt of Sample	20.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	20.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1.	Oil and Grease	mg/L	N.D.	-	-	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1
2.	Cyanide (as CN)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-CN, C & E, 4-44 & 4-46
3.	Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	N.D.	0.001 Max.	0.002 Max.	APHA 23 rd Ed. 2017, 5530- B & C, 5-49, 5-50
Residues in water (Trace metal Element)						
4.	Selenium (as Se)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3500-C, 3-95
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


Kishor C. Yeole

BRANCH MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.

Page 1 of 1

QF/SALE/02/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13758-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901.		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well water of Kapustalani	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can 1L X 1 No. Glass Bottle
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1.	Oil and Grease	mg/L	N.D.	-	-	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1
2.	Cyanide (as CN)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-CN, C & E, 4-44 & 4-46
3.	Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	N.D.	0.001 Max.	0.002 Max.	APHA 23 rd Ed. 2017, 5530- B & C, 5-49, 5-50
Residues in water (Trace metal Element)						
4.	Selenium (as Se)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3500-C, 3-95
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


Kishor C. Yeole

BRANCH MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.

Page 1 of 1

QF/SALE/02/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist. Nagpur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13757-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901.		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Well water of Wagholi	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can 1L X 1 No. Glass Bottle
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1.	Oil and Grease	mg/L	N.D.	-	-	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1
2.	Cyanide (as CN)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-CN, C & E, 4-44 & 4-46
3.	Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	N.D.	0.001 Max.	0.002 Max.	APHA 23 rd Ed. 2017, 5530- B & C, 5-49, 5-50
Residues in water (Trace metal Element)						
4.	Selenium (as Se)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3500-C, 3-95
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


Kishor C. Yeole

BRANCH MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.

Page 1 of 1

QF/SALE/02/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162,2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13763-201030-SA-RIPL-AMRAVATI			Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901.		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Ground Water/Grab	Sample Collected by	Laboratory
Sampling Location	Borewell water of Digargaon	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1 No. PVC Can 1L X 1 No. Glass Bottle
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Limit for Drinking water as per IS 10500:2012		Method Reference
				Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Discipline: Chemical Testing; Product Group: Water (Ground Water)						
1.	Oil and Grease	mg/L	N.D.	-	-	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1
2.	Cyanide (as CN)	mg/L	N.D.	0.05 Max.	No relaxation	APHA 23 rd Ed. 2017, 4500-CN, C & E, 4-44 & 4-46
3.	Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	N.D.	0.001 Max.	0.002 Max.	APHA 23 rd Ed. 2017, 5530- B & C, 5-49, 5-50
Residues in water (Trace metal Element)						
4.	Selenium (as Se)	mg/L	N.D.	0.01 Max.	No relaxation	APHA 23 rd Ed. 2017, 3500-C, 3-95
Remarks: N.D.: Not Detected						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


Kishor C. Yeole

BRANCH MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.

Page 1 of 1

QF/SALE/02/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagpur-441111

Phone : 91-712-2612162, 2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13765-201030-SA-RIPL-AMRAVATI		Date: 30.10.2020	
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901	Order Reference:	
		SO No. 3382017462 Dt.16.08.2019	
Sample Description/Type	Surface Water	Sample Collected by	Laboratory
Sampling Location	Wagholi Pond	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1No. PVC Can 1L X 1No.Glass Bottle
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Method Reference
Discipline: Chemical Testing; Product Group: Water (Surface Water)				
1.	Colour	Hazen	<1	APHA 23 rd Ed. 2017, 2120-B, 2-6
2.	Odour	-	Agreeable	IS 3025 (Part 05):1984, Reaffirmed 2006
3.	Taste	-	NA	IS 3025 (Part 7 & 8):1984, Reaffirmed 2006
4.	Turbidity	NTU	0.5	APHA 23 rd Ed. 2017, 2130-B, 2-13
5.	pH	-	8.0	APHA 23 rd Ed. 2017, 4500-H ⁺ -B, 4-95
6.	Residual Free Chlorine	mg/L	<0.05	APHA 23 rd Ed. 2017, 4500-Cl G, 4-72
7.	Total Dissolved Solids	mg/L	395	IS 3025 (Part 16):1984 Reaffirmed 2006, Ed.2.1(1999-12)
8.	Total Suspended Solids	mg/L	11	APHA 23 rd Ed. 2017, 2540-D, 2-69
9.	Alkalinity Total (as CaCO ₃)	mg/L	152	IS 3025 (Part 23):1986 Reaffirmed 2009 Amds 1
10.	Total Hardness (as CaCO ₃)	mg/L	296	APHA 23 rd Ed. 2017, 2340-C, 2-48
11.	Chloride (as Cl)	mg/L	38.0	APHA 23 rd Ed. 2017, 4500-Cl-B, 4-75
12.	Sulphate (as SO ₄)	mg/L	116	APHA 23 rd Ed. 2017, 4500- SO ₄ -E, 4-199
13.	Nitrate (as NO ₃)	mg/L	0.616	APHA 23 rd Ed. 2017, 4500-NO ₃ , E 4-131
14.	Calcium (as Ca)	mg/L	60.1	APHA 23 rd Ed. 2017, 3500-Ca-B, 3-69
15.	Magnesium (as Mg)	mg/L	35.5	APHA 23 rd Ed. 2017, 3500-Mg- B, 3-86
16.	Fluoride (as F)	mg/L	0.423	APHA 23 rd Ed. 2017, 4500-F, D, 4-90
17.	Boron (as B)	mg/L	<0.1	APHA 23 rd Ed. 2017, 4500-B B, 4-27



Report No.13765 Cont...

Sr. No.	Parameter	Unit	Result	Method Reference
18.	Dissolved Oxygen	mg/L	6.4	APHA 23 rd Ed. 2017, 4500-O, B & C, 4-144, 4-146
Residues in water (Trace metal Element)				
19.	Iron (as Fe)	mg/L	0.211	APHA 23 rd Ed. 2017, 3111-B, 3-20
20.	Manganese (as Mn)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3111-B, 3-20 AAS Method
21.	Aluminium (as Al)	mg/L	<0.025	APHA 23 rd Ed. 2017, 3500-Al-B, 3-63
22.	Cadmium (as Cd)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3111-B, 3-20
23.	Chromium Toal (as Cr)	mg/L	<0.1	APHA 23 rd Ed. 2017, 3500- Cr-B, 3-71
24.	Copper (as Cu)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3111-B, 3-20
25.	Lead (as Pb)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3111-B, 3-20
26.	Zinc (as Zn)	mg/L	0.032	APHA 23 rd Ed. 2017, 3111-B, 3-20
27.	Arsenic (as As)	mg/L	N.D.	IS 3025 (Part 37): 1988, RA 2009
28.	Mercury (as Hg)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3112-B, 3-25
Remarks: N.D.: Not Detected; NA: Not Applicable				

-END-

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C.Yeole

BRANCH MANAGER



Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.



Certificate Number TC-7487

ULR- TC748720000013192F



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagpur-441111

Phone : 91-712-2612162, 2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13765-201030-SA-RIPL-AMRAVATI		Date: 30.10.2020	
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901	Order Reference:	
		SO No. 3382017462 Dt.16.08.2019	
Sample Description/Type	Surface Water	Sample Collected by	Laboratory
Sampling Location	Wagholi Pond	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1No. PVC Can 1L X 1No.Glass Bottle
Date of Sampling	19.10.2020	Date of Receipt of Sample	20.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	20.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Method Reference
Discipline: Chemical Testing; Product Group: Water (Surface Water)				
1.	Oil and Grease	mg/L	N.D.	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1
2.	Cyanide (as CN)	mg/L	N.D.	APHA 23 rd Ed. 2017, 4500-CN, C & E, 4-44 & 4-46
3.	Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	N.D.	APHA 23 rd Ed. 2017, 5530- B & C, 5-49, 5-50
Residues in water (Trace metal Element)				
4.	Selenium (as Se)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3500-C, 3-95
Remarks: N.D.: Not Detected;				

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C. Yeole

BRANCH MANAGER



Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagapur-441111

Phone : 91-712-2612162 T/Fax: 91-712-2612212 Email: nagpur@mahabal.com

Water Sample Analysis Report

Report No.: ME-NG13764-201030-SA-RIPL-AMRAVATI		Date: 30.10.2020	
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901	Order Reference:	
		SO No. 3382017462 Dt.16.08.2019	
Sample Description/Type	Surface Water	Sample Collected by	Laboratory
Sampling Location	Malegaon Pond	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1No. PVC Can 1L X 1No.Glass Bottle
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Method Reference
Discipline: Chemical Testing; Product Group: Water (Surface Water)				
1.	Colour	Hazen	<1	APHA 23 rd Ed. 2017, 2120-B, 2-6
2.	Odour	-	Agreeable	IS 3025 (Part 05):1984, Reaffirmed 2006
3.	Taste	-	NA	IS 3025 (Part 7 & 8):1984, Reaffirmed 2006
4.	Turbidity	NTU	4.5	APHA 23 rd Ed. 2017, 2130-B, 2-13
5.	pH	-	7.8	APHA 23 rd Ed. 2017, 4500-H ⁺ -B, 4-95
6.	Residual Free Chlorine	mg/L	<0.05	APHA 23 rd Ed. 2017, 4500-Cl G, 4-72
7.	Total Dissolved Solids	mg/L	244	IS 3025 (Part 16):1984 Reaffirmed 2006, Ed.2.1(1999-12)
8.	Total Suspended Solids	mg/L	9	APHA 23 rd Ed. 2017, 2540-D, 2-69
9.	Alkalinity Total (as CaCO ₃)	mg/L	164	IS 3025 (Part 23):1986 Reaffirmed 2009 Amds 1
10.	Total Hardness (as CaCO ₃)	mg/L	182	APHA 23 rd Ed. 2017, 2340-C, 2-48
11.	Chloride (as Cl)	mg/L	21.0	APHA 23 rd Ed. 2017, 4500-Cl-B, 4-75
12.	Sulphate (as SO ₄)	mg/L	22.5	APHA 23 rd Ed. 2017, 4500- SO ₄ -E, 4-199
13.	Nitrate (as NO ₃)	mg/L	<0.5	APHA 23 rd Ed. 2017, 4500-NO ₃ , E 4-131
14.	Calcium (as Ca)	mg/L	37.5	APHA 23 rd Ed. 2017, 3500-Ca-B, 3-69
15.	Magnesium (as Mg)	mg/L	21.4	APHA 23 rd Ed. 2017, 3500-Mg- B, 3-86
16.	Fluoride (as F)	mg/L	0.360	APHA 23 rd Ed. 2017, 4500-F, D, 4-90
17.	Boron (as B)	mg/L	<0.1	APHA 23 rd Ed. 2017, 4500-B B, 4-27



Report No.13764 Cont...

Sr. No.	Parameter	Unit	Result	Method Reference
18.	Dissolved Oxygen	mg/L	6.6	APHA 23 rd Ed. 2017, 4500-O, B & C, 4-144, 4-146
Residues in water (Trace metal Element)				
19.	Iron (as Fe)	mg/L	0.251	APHA 23 rd Ed. 2017, 3111-B, 3-20
20.	Manganese (as Mn)	mg/L	<0.04	APHA 23 rd Ed. 2017, 3111-B, 3-20 AAS Method
21.	Aluminium (as Al)	mg/L	<0.025	APHA 23 rd Ed. 2017, 3500-Al-B, 3-63
22.	Cadmium (as Cd)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3111-B, 3-20
23.	Chromium Toal (as Cr)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3500- Cr-B, 3-71
24.	Copper (as Cu)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3111-B, 3-20
25.	Lead (as Pb)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3111-B, 3-20
26.	Zinc (as Zn)	mg/L	0.018	APHA 23 rd Ed. 2017, 3111-B, 3-20
27.	Arsenic (as As)	mg/L	N.D.	IS 3025 (Part 37): 1988, RA 2009
28.	Mercury (as Hg)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3112-B, 3-25
Remarks: N.D.: Not Detected; NA: Not Applicable				

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C.Yeole

BRANCH MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.

ULR- TC748720000013191F



Certificate Number TC-7487



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagpur-441111

Phone : 91-712-2612162, 2612212 Email: mahabal.nagpur@gmail.com

Water Sample Analysis Report

Report No.: ME-NG13764-201030-SA-RIPL-AMRAVATI		Date: 30.10.2020	
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901	Order Reference:	
		SO No. 3382017462 Dt.16.08.2019	
Sample Description/Type	Surface Water	Sample Collected by	Laboratory
Sampling Location	Malegaon Pond	Sample Quantity/Packing	2 L X 1 No. PVC Can 500mL X 1No. PVC Can 1L X 1No.Glass Bottle
Date of Sampling	19.10.2020	Date of Receipt of Sample	20.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	20.10.2020	Date of Completion of Analysis	30.10.2020

Sr. No.	Parameter	Unit	Result	Method Reference
Discipline: Chemical Testing; Product Group: Water (Surface Water)				
1.	Oil and Grease	mg/L	N.D.	IS 3025 (Part 39): 1991, Reaffirmed 2009, Amds.1
2.	Cyanide (as CN)	mg/L	N.D.	APHA 23 rd Ed. 2017, 4500-CN, C & E, 4-44 & 4-46
3.	Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	N.D.	APHA 23 rd Ed. 2017, 5530- B & C, 5-49, 5-50
Residues in water (Trace metal Element)				
4.	Selenium (as Se)	mg/L	N.D.	APHA 23 rd Ed. 2017, 3500-C, 3-95
Remarks: N.D.: Not Detected;				

-----END-----

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor C. Yeole

BRANCH MANAGER



Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,
Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagpur-441111

Phone : 91-712-2612162, 2612212 Email: mahabal.nagpur@gmail.com


Effluent Sample Analysis Report

Report No.: ME-NG13754-201030-SA-RIPL-AMRAVATI		Date: 30.10.2020	
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901		Order Reference:
			SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Domestic Effluent	Sample Collected by	Laboratory
Sampling Location	1.STP Plant Outlet 2.STP Colony Outlet	Sample Quantity/Packing	2 L X 2 No. PVC Can 100mL X 2 No. PVC Can
Date of Sampling	19.10.2020	Date of Receipt of Sample	21.10.2020
Sampling Procedure	IS: 3025(Part I):1987 RA 2003; APHA 23 rd Ed. 2017, 1060-B, 1-40;		
Date of Start of Analysis	21.10.2020	Date of Completion of Analysis	28.10.2020

Sr. No.	Parameter	Unit	Result		Limit as per MPCB Consent	Method Reference
			1	2		
Discipline: Chemical Testing; Product Group: Pollution & Environment (Waste Water)						
1	pH	-	7.6	7.8	5.5 to 9.0	APHA 23 rd Ed. 2017, 4500-H ⁺ -B, 4-95
2	Biochemical Oxygen Demand (3 days 27°C)	mg/L	4.8	6.3	30 Max.	IS 3025 (Part 44): 1993, Reaffirmed 2009
3	Chemical Oxygen Demand	mg/L	12	20	100 Max.	APHA 23 rd Ed. 2017, 5220-B, 5-18
Remarks:						

END

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.


Kishor C. Yeole

BRANCH MANAGER



Note:

- The result listed refers only to the tested sample(s) and applicable parameter(s).
- This report is not to be reproduced except in full, without written approval of the laboratory.



Certificate Number TC-7487

Page 1 of 1

QF/SALE/02/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com

ULR- TC748720000013181F



Mahabal Enviro Engineers Pvt. Ltd.

Engineers, Consultants, Environmental Monitoring Laboratory & Contractors

Plot Nos. 13,14,17,18, Grampanchayat Bokhara, 8 km from Nagpur City,

Opp. Patel Petrol Pump, Chhindwara Road, Koradi, Dist.Nagpur-441111

Phone : 91-712-2612162, 2612212 Email: mahabal.nagpur@gmail.com

Noise Level Monitoring Report

Report No.: ME-NG13766-201030-SA-RIPL-AMRAVATI		Date: 30.10.2020
Name and Address of Customer	RATTANINDIA POWER LIMITED Plot No.D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901	Order Reference:
		SO No. 3382017462 Dt.16.08.2019
Sample Description/Type	Noise Level Monitoring	Sample Collected by
		NA
Date of Sampling	19.10.2020 to 20.10.2020	
Sampling Procedure	IS 9876:1981 & manufacturer Manual	

Discipline: Chemical Testing; Product Group: Atmospheric Pollution Source Noise (Excluding Vibrations)			
Location	Unit	Result	
		Max.	Min.
Near Main Gate	dB(A)	63.9	60.7
Near Compressor Room	dB(A)	68.9	64.8
Near CHP Crusher House	dB(A)	68.1	65.3
Near Colony	dB(A)	62.9	56.4
Turbine area No. 3 & 4	dB(A)	73.6	68.9
Limit as per The Factories Act, 1948, The Maharashtra Factory Rules, 1963, Schedule XXIV			
Total time of exposure per day, in hours.		Max. Sound pressure level in dB (A)	
8		90	
6		92	
4		95	
3		97	
2		100	
1 ½		102	
1		105	
3/4		107	
1/2		110	
1/4		115	
Remark :			

-END-

FOR MAHABAL ENVIRO ENGINEERS PVT. LTD.

Kishor Yeole

BRANCH MANAGER



Note:

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.

Page 1 of 1

QF/SALE/05/Issue No 03 Dt 05.12.2019,Amd 00 Dt 00

Plot No. F-7, Road No. 21, MIDC Wagle Estate, Thane West - 400604, Maharashtra
(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Next to Ashida Electrical - near J B Sawant Bus Stop)
Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com